


# UNIVERSAL CORNERS G125



## INDEX

1. Code registry
2. Description
3. Features
4. Technical specification

## 1. CODE REGISTRY

Code	Description	Measure (m)	Weight (kg)	Colour	Pkg / Pallet
GRO03-3200MUN	Universal corner	h 89 - l 189 - p 189	2,9	Brown	11 pc. / 24 boxes
GRO03-3200RUN	Universal corner	h 89 - l 189 - p 189	2,9	Copper effect	11 pc. / 24 boxes

**MATERIAL** Made of PVC U.V. ray resistant

## 2. DESCRIPTION

Universal corners are indispensable elements for the junction of gutter channel

# UNIVERSAL CORNERS G125

## 3. FEATURES

GENERAL FEATURES		Requirements		
Material	PVC			
Colour	CIELAB L, a, b	GRO03-3200MUN Brown	GRO03-3200RUN Copper effect	EN 607
ΔE		Max 2,00		

DIMENSIONAL DATA	Unit	Value		without gasket
		GRO01-3100M2 GRO01-3150M3 Brown	GRO01-3100R2 GRO01-3150M3 Copper effect	
h	mm	80		
l	mm	189		
p	mm	189		
QUOTE				

FISICAL AND MECHANICAL FEATURES	Test conditions	Value	Method
Heat reversion	65° C 30 min. in air	NO DEFORMATION	EN ISO 607 ANNEX C
VICAT point (VST)	50° C/h 50 N	≥ 75° C	EN ISO 2507

## 4. TECHNICAL SPECIFICATION

Code	Description	Unit	Price
<b>Dak.R.GRO03.3200xxx</b>	Supply and installation of universal corner for the junction of gutter channels In the measurements of h 80 - l 189 - p 189 mm Made of PVC resistant to U.V rays. Use for the collection of meteoric waters from the covers and relative disposal.		
<b>Dak.R.GRO03.3200MUN</b>	Brown.....	pc.	-
<b>Dak.R.GRO03.3200MUN</b>	Effetto Rame.....	pc.	-