



DAKOTA[®]

indoor

products for internal.





DAKOTA

Tile levelers

Dakota solutions for Floor Leveling	I_253
One Level	I_255
Two Level®	I_256
Zin Level	I_258
Rush Level®	I_262
Boost Level®	I_264
Lite level	I_266
Magnetik Level	I_268

Spacers for Tiles

Tile Spacer: Dakota Systems	I_271
Penta Spacer	I_272
Cross and "T" shaped spacer	I_273
Y shaped spacer for hexagonal tiles	I_274
U shaped spacer	I_275
Flat shaped spacer and wedge	I_276

Door frames and wood shelf

Door frames	I_278
Wood shelf Premium, Slim, Combo and Nano	I_280

Attic stairs

Folding stairs and accessories	I_281
Stainless steel folding stair	I_282

Glass blocks

Bright undulating, coloured and glazed glass block	I_284
Glass block accessories	I_286
Horizontal structure glass block	I_288

Profile for coating

Jolly PVC profile white, colored and marbled	I_290
Jolly profile and accessories	I_293
Aluminum or white pvc stepsaver profile	I_295
Satinized or polished Aluminum profile	I_297
White "Magnum" hygenical profile	I_300
Internal corners profile and accessories	I_301


Profiles for Balconies / Terraces

Profiles for balconies	I_303
------------------------	-------


Leveling Systems and Tile spacers

Precision and efficiency during installation


The Dakota Indoor range offers a wide selection of systems and solutions for installing tiles of various sizes and thicknesses.



Dakota Solutions for Floor Leveling



One Level



Two Level



Zin Level

Wedge Leveling Systems:

Systems consisting of two components, spacer clips and leveling wedges, used with pliers to ensure a level installation with no gaps between tiles. The clips are available in various joint thicknesses (from 0.5 to 5 mm) to suit different installation needs.

Made from recycled plastic, suitable for both flooring and wall applications.



Rush Level



Lite Level



Boost Level




Magnetik Level

Cylinder Leveling Systems:

Systems consisting of two components, leveling cylinder and spacer screw, which allow for precise adjustment of the installation surface. The screw system prevents irregularities and ensures uniform grout lines (1–4 mm). All systems are made from recycled plastic and are compatible with tiles of varying thicknesses (3–22 mm, up to 30 mm with special screws).

	Type	Components	Gap thickness	Tiles thickness	Plier	Anti-scratch disc	Spacers used
One Level	Wedge Leveler	Clip + wedge	1 - 1,5 - 2 - 3	3 - 12	Yes	No	Compatible with linear clips
Two Level®	Wedge Leveler	Clip + wedge	0,5 - 1 - 1,5 - 2 - 2,5 - 3 - 4 - 5	3 - 20	Yes	No	Compatible with linear clips
Zin Level	Wedge Leveler	Clip + wedge	0,5 - 1 - 1,5 - 2 - 2,5 - 3 - 4	3 - 12	No	No	Compatible with linear clips
Rush Level®	Cylinder Leveler	Cylinder + spacer screw	1 - 1,5 - 2 - 2,5 - 3 - 4	3 - 30	No	Integrated	Compatible with linear clips, "T" and "x" clips
Lite Level	Cylinder Leveler	Cylinder + spacer screw	1 - 1,5 - 2 - 2,5 - 3 - 4	3 - 30	No	Optional accessory	Compatible with linear clips, "T" and "x" clips
Boost Level	Cylinder Leveler	Cylinder + spacer screw	1 - 1,5 - 2 - 2,5 - 3 - 4	3 - 30	No	Integrated	Compatible with linear clips, "T" and "x" clips
Magnetik Level	Cylinder Leveler	Cylinder + spacer screw	1 - 1,5 - 2 - 2,5 - 3 - 4	3 - 30	No	Optional accessory	Compatible with linear clips, "T" and "x" clips



WEDGE
LEVELING SYSTEMS

DESCRIPTION

A system composed of 2 elements (wedge and spacer clip) that assembled and adjusted through the use of a plier, allows, in a quick and easy way, to remove any difference between tile and tile during the laying, obtaining a coplanar and equidistant result without any lippage. Spacer Clips are available for 1, 1.5, 2, and 3 mm grout joints.

Made of recycled plastic material.


USE

Leveling system and spacer for floor and wall tiles of various sizes and thicknesses.

LINEAR APPLICATION

Indicative consumption - **pc/m²**

EXAMPLE:
to lay a 40 x 40 cm tile
use 25 pcs/m²



TWO LEVEL® - COMPONENTS

Code	Product		mm	Tiles (mm)	Bag	Pkg.	Pallet	UM
TER04-4209B100	Two Level Leveling wedge		-	-	100 pcs.	14 bags	210 bags	bag
TER04-4309EB05	Spacer clip		0,5	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4309EB1	Spacer clip		1	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4309EB15	Spacer clip		1,5	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4309EB2	Spacer clip		2	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4309EB25	Spacer clip		2,5	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4309EB3	Spacer clip		3	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4309EB4	Spacer clip		4	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4309EB5	Spacer clip		5	from h. 3 to h. 12	250 pcs.	12 bags	180 bags	bag
TER04-4209L1	Spacer clip		1	from h. 12 to h. 20	50 pcs.	60 bags	1.200 bags	bag
TER04-4209L2	Spacer clip		2	from h. 12 to h. 20	50 pcs.	60 bags	1.200 bags	bag
TER04-4209L3	Spacer clip		3	from h. 12 to h. 20	50 pcs.	60 bags	1.200 bags	bag
TER04-4209L5	Spacer clip		5	from h. 12 to h. 20	50 pcs.	60 bags	1.200 bags	bag
TER04-4309EC1	Spacer clip		1	from h. 3 to h. 12	500 pcs.	7 bags	105 bags	bag
TER04-4309EC15	Spacer clip		1,5	from h. 3 to h. 12	500 pcs.	7 bags	105 bags	bag
TER04-4309EC2	Spacer clip		2	from h. 3 to h. 12	500 pcs.	7 bags	105 bags	bag
TER04-4309EC3	Spacer clip		3	from h. 3 to h. 12	500 pcs.	7 bags	105 bags	bag
TER04-4209PB	Blue Plier for leveling wedge		-	-	1 pc.	100 pcs.	1.500 pcs.	pc.
TER04-4209PBNEW	Blue plastic plier Plus for leveling wedge		-	-	1 pc.	70 pcs.	1.050 pcs.	pc.
TER04-4209M/2C	T-Plier - Metallic plier		-	-	1 pc.	25 pcs.	1.125 pcs.	pc.

DESCRIPTION

Two Level® System is available in 2 different packagings:

- Plastic box composed of 100 spacer clips and 100 leveling wedges;
- Single Bags of 250 spacer clips and 100 wedges.



A system composed of 2 elements (wedge and spacer clip) that assembled and adjusted through the use of a plier, allows, in a quick and easy way, to remove any difference between tile and tile during the laying, obtaining a coplanar and equidistant result without any lippage. Spacer Clips are available for 0.5, 1, 1.5, 2, 2.5, 3, 4 and 5 mm grout joints.

MATERIAL

Made of recycled plastic material.

USE

Leveling system and spacer for floor and wall tiles of various sizes and thicknesses.



Two Level Kit



ZIN LEVEL - COMPONENTS

Code	Product		mm	Bag	Pkg.	Pallet	UM
TER04-4208B100	Zin Level Leveling wedge		-	100 pcs.	14 bags	210 bags	bag
TER04-4208EB05	Spacer Clip 0.5 mm for tiles from 3 to 12 mm		0,5	250 pcs.	14 bags	210 bags	bag
TER04-4208EB1	Spacer Clip 1 mm for tiles from 3 to 12 mm		1	250 pcs.	14 bags	210 bags	bag
TER04-4208EB15	Spacer Clip 1.5 mm for tiles from 3 to 12 mm		1,5	250 pcs.	14 bags	210 bags	bag
TER04-4208EB2	Spacer Clip 2 mm for tiles from 3 to 12 mm		2	250 pcs.	14 bags	210 bags	bag
TER04-4208EB3	Spacer Clip 3 mm for tiles from 3 to 12 mm		3	250 pcs.	14 bags	210 bags	bag
TER04-4208EB4	Spacer Clip 4 mm for tiles from 3 to 12 mm		4	250 pcs.	14 bags	210 bags	bag

DESCRIPTION

Zin Level System is available in 2 different packagings:

- Plastic box composed of 200 spacer clips and 100 leveling wedges;
- Single Bags of 250 spacer clips and 100 wedges.

Thanks to these two elements and without the need of additional tools (just your hand), it is possible, in quick and easy way, to adjust and remove any difference height between tile and tile during the installation, obtaining a coplanar and equidistant result without any lippage.

Spacer Clips are available for 0.5, 1, 1.5, 2, 3, 4 mm grout joints.

Not available for Italy, Poland, Germany, Austria, Switzerland, USA and Canada

MATERIAL

Made of PP (polypropylene).

USE

Leveling system and spacer for floor and wall tiles of various sizes and thicknesses.

Zin Level Polybags





Zin Level Kit



ZIN LEVEL - KIT

Code	Product	mm	Pkg.	Pallet	UM
TER04-4208S05	Zin Level Kit - 200 Spacer Clips 0.5 mm - 100 wedges	0,5	1 box	80 boxes	box
TER04-4208S1	Zin Level Kit - 200 Spacer Clips 1 mm - 100 wedges	1	1 box	80 boxes	box
TER04-4208S15	Zin Level Kit - 200 Spacer Clips 1.5 mm - 100 wedges	1,5	1 box	80 boxes	box
TER04-4208S2	Zin Level Kit - 200 Spacer Clips 2 mm - 100 wedges	2	1 box	80 boxes	box
TER04-4208S3	Zin Level Kit - 200 Spacer Clips 3 mm - 100 wedges	3	1 box	80 boxes	box
TER04-4208EB4	Zin Level Kit - 200 Spacer Clips 4 mm - 100 wedges	4	1 box	80 boxes	box



PLASTIC PLIERS

Code	Product	mm	Pkg.	Pallet	UM
TER04-4209PB	Blue Plier for leveling wedge	-	100 pcs.	1.500 pcs.	pc.

DESCRIPTION

Blue plastic pliers for leveling wedges, designed for perfect floor leveling. They ensure flatness between tiles and reduce movement during the mortar solidification process. Designed to make tile installation easy and fast, saving time and effort while ensuring professional results with spacer clips from 0.5 to 5 mm. Equipped with an adjustable system for precise installation.

Space clip Compatibility: 0.5 / 1 / 1.5 / 2 / 2.5 / 3 / 4 / 5 mm

MATERIAL

Made of PA + Glass fiber.

USE

Ideal for the application of wedge leveling systems for floor and wall tile installation.



PLASTIC PLIER

Code	Product	mm	Pkg.	Pallet	UM
TER04-4209PBNEW	Blue plastic plier Plus for leveling wedge	1 pc.	70 pcs.	1.050 pcs.	pc.

DESCRIPTION

Blue plastic pliers for leveling wedges with an integrated spirit level for professional floor leveling. They ensure flatness between tiles and reduce movement during the mortar solidification process. Designed to make tile installation easy and fast, saving time and effort while ensuring professional results with spacer clips from 0.5 to 5 mm. The integrated spirit level helps to quickly and accurately verify the flatness of the floor. Equipped with an adjustable system for precise installation.

Space clip Compatibility: 0.5 / 1 / 1.5 / 2 / 2.5 / 3 / 4 / 5 mm

MATERIAL

Made of PA + Glass fiber.

USE

Ideal for the application of wedge leveling systems for floor and wall tile installation.



PLIER

Code	Product	mm	Pkg.	Pallet	UM
TER04-4209M/2C	T-Plier - Metallic plier	1 pc.	25 pcs.	1.125 pcs.	pc.

DESCRIPTION

Metal pliers for leveling wedges designed to make ceramic, floor, and wall tile installation effortless and precise. They ensure professional results with spacer clips from 0.5 to 5 mm. The highly durable galvanized steel structure helps achieve a perfect finish with less time and effort, enhancing the tile installation process. They ensure flatness between tiles and reduce movement during the mortar solidification process. Equipped with an adjustable system for precise installation.

Space clip Compatibility: 0.5 / 1 / 1.5 / 2 / 2.5 / 3 / 4 / 5 mm

MATERIAL

Structure: Galvanized steel Handle: PP (Polypropylene).

USE

Ideal for the application of wedge leveling systems for floor and wall tile installation.





*The New
Magnetik Level*

**CYLINDER
LEVELING SYSTEMS**

RUSH LEVEL® - COMPONENTS

Code	Product		mm	Tiles (mm)	Bag	Pkg.	Pallet	UM
TER04-4470DK	Rush Level® Cylinder		-	-	50 pcs.	8 bags	120 bags	bag
TER04-4401DK	Linear spacer screw		1	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-44015DK	Linear spacer screw		1,5	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4402DK	Linear spacer screw		2	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-44025DK	Linear spacer screw		2,5	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4403DK	Linear spacer screw		3	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4404DK	Linear spacer screw		4	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4443DK	Linear spacer screw		3	from 20 to 30 mm	100 pcs.	20 bags	300 bags	bag
TER04-4421DK	Cross spacer screw		1	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4422DK	Cross spacer screw		2	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4423DK	Cross spacer screw		3	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4431DK	"T" shape spacer screw		1	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4432DK	"T" shape spacer screw		2	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4433DK	"T" shape spacer screw		3	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag

DESCRIPTION

Rush Level System is a new generation of cylinder leveling system. Main features are:

- It works with all spacer clips of any shape: linear, T and X shape.
- Very easy and fast to use: soft squeeze and push for initial set and squeeze again for quick release of the broken screws once used.
- Anti-scratch rubber pad integrated to prevent any marking.
- Wide working range for tiles from 3 to 22 mm.

Rush Level is available in two different packagings: Single bags composed

of 100 disposable screws or 50 cylinders and Plastic box composed of 100 disposable linear screws and 50 leveling cylinders;

MATERIAL

Cylinder: Made of recycled plastic material.
Screw: Made of polystyrene

USE

Leveling system and spacer for floor and wall tiles of various sizes and thicknesses.

Rush Level Polybags



Rush Level Kit



BOOST LEVEL® - COMPONENTS

Code	Product		mm	Tiles (mm)	Bag	Pkg.	Pallet	UM
TER04-4460DK	Boost Level Cylinder		-	-	50 pcs.	8 bags	120 bags	bag
TER04-4401DK	Linear spacer screw		1	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-44015DK	Linear spacer screw		1,5	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4402DK	Linear spacer screw		2	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-44025DK	Linear spacer screw		2,5	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4403DK	Linear spacer screw		3	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4404DK	Linear spacer screw		4	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4443DK	Linear spacer screw		3	from 20 to 30 mm	100 pcs.	20 bags	300 bags	bag
TER04-4421DK	Cross spacer screw		1	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4422DK	Cross spacer screw		2	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4423DK	Cross spacer screw		3	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4431DK	"T" shape spacer screw		1	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4432DK	"T" shape spacer screw		2	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag
TER04-4433DK	"T" shape spacer screw		3	from 3 to 22 mm	100 pcs.	25 bags	375 bags	bag

DESCRIPTION

Boost Level is an innovative screw cylinder for levelling, designed to be quick and accurate in any project.

- Easy and quick to use: installation is intuitive and fast. Simply insert and apply light pressure to securely connect the cylinder to the screw spacer.
- Its design allows broken screws to be automatically ejected;
- Self-locking clamp system: when screwing, the two clamps lay on the inner recess of the disc, ensuring a larger contact area for secure and precise installation.

- Suitable for all common spacer types (linear, T and cross spacers);
- Integrated anti-scratch pad protects the tile surface from damage;
- The system supports tile thicknesses from 3 to 30 mm;

MATERIAL

Cylinder: Made of recycled plastic material.

Screw: Made of polystyrene

USE

Leveling system and spacer for floor and wall tiles of various sizes and thicknesses.

Boost Level Polybags



50x
Cylinders



100x
Screws

Boost Level Kit



100x
Screws






30x
Cylinders

BOOST LEVEL® KIT

Code	Product	mm	Pkg.	Pallet	UM
TER04-4460S1	Boost Level Kit - 100 Spacer screws - 50 Leveling cylinders	1	1 box	80 boxes	box
TER04-4460S15	Boost Level Kit - 100 Spacer screws - 50 Leveling cylinders	1,5	1 box	80 boxes	box
TER04-4460S2	Boost Level Kit - 100 Spacer screws - 50 Leveling cylinders	2	1 box	80 boxes	box
TER04-4460S25	Boost Level Kit - 100 Spacer screws - 50 Leveling cylinders	2,5	1 box	80 boxes	box
TER04-4460S3	Boost Level Kit - 100 Spacer screws - 50 Leveling cylinders	3	1 box	80 boxes	box
TER04-4460S4	Boost Level Kit - 100 Spacer screws - 50 Leveling cylinders	4	1 box	80 boxes	box



Watch the video!



LITE LEVEL - COMPONENTS

Code	Product		mm	Tiles (mm)	Bag	Pkg.	Pallet	UM
TER04-4450DK	Lite Level Cylinder		-	-	50 pcs.	12 bags	180 bags	bag
TER04-4401DK	Linear spacer screw		1	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-44015DK	Linear spacer screw		1,5	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4402DK	Linear spacer screw		2	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-44025DK	Linear spacer screw		2,5	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4403DK	Linear spacer screw		3	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4404DK	Linear spacer screw		4	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4443DK	Linear spacer screw		3	from 20 to 30 mm	100 pcs.	20 bags	300 bags	bags
TER04-4421DK	Cross spacer screw		1	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4422DK	Cross spacer screw		2	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4423DK	Cross spacer screw		3	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4431DK	"T" shape spacer screw		1	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4432DK	"T" shape spacer screw		2	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4433DK	"T" shape spacer screw		3	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4410DD	Cross anti-scratch pad			-	50 pcs.	10 bags	300 bags	bag

DESCRIPTION

LITE LEVEL, a new generation of leveling system for indoor tiles. The Dakota New Spin cylinder is made of recycled plastic material and available delivered in bags of 50 pieces.

The Lite level works with all the range of actual screw spacers:

Linear spacer Screw for 1, 1.5, 2, 2.5, 3, 4 mm grout joints.

Cross spacer Screw for 1, 2, 3 mm grout joints.

T spacer Screw for 1, 2, 3 mm grout joints.

MATERIAL

Cylinder: Made of recycled plastic material.

Screw: Made of polystyrene

USE

The use of the cylinder with the spacer screws allow to remove any difference between tile and tile during the laying, obtaining a coplanar and equidistant result without any lippage.

Lite Level Polybags



50x
Cylinders



100x
Screws

Lite Level Kit



100x
Screws







50x
Cylinders

LITE LEVEL KIT

Code	Product	mm	Pkg.	Pallet	UM
TER04-4450S1	Lite Level Kit - 100 Spacer screws - 50 Leveling cylinders	1	1 box	80 boxes	box
TER04-4450S15	Lite Level Kit - 100 Spacer screws - 50 Leveling cylinders	1,5	1 box	80 boxes	box
TER04-4450S2	Lite Level Kit - 100 Spacer screws - 50 Leveling cylinders	2	1 box	80 boxes	box
TER04-4450S25	Lite Level Kit - 100 Spacer screws - 50 Leveling cylinders	2,5	1 box	80 boxes	box
TER04-4450S3	Lite Level Kit - 100 Spacer screws - 50 Leveling cylinders	3	1 box	80 boxes	box
TER04-4450S4	Lite Level Kit - 100 Spacer screws - 50 Leveling cylinders	4	1 box	80 boxes	box



watch the video!



MAGNETIK LEVEL - COMPONENTS

Code	Product		mm	Tiles (mm)	Bag	Pkg.	Pallet	UM
TER04-4490DK	Magnetik Level Cylinder		-	-	50 pcs.	25 bags	180 bags	bag
TER04-4490AD	Connector bit for Magnetik Level		-	-	1 pc.	-	-	pc.
TER04-4401DK	Linear spacer screw		1	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-44015DK	Linear spacer screw		1,5	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4402DK	Linear spacer screw		2	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-44025DK	Linear spacer screw		2,5	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4403DK	Linear spacer screw		3	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4404DK	Linear spacer screw		4	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4443DK	Linear spacer screw		3	from 20 to 30 mm	100 pcs.	20 bags	300 bags	bags
TER04-4421DK	Cross spacer screw		1	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4422DK	Cross spacer screw		2	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4423DK	Cross spacer screw		3	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4431DK	"T" shape spacer screw		1	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4432DK	"T" shape spacer screw		2	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4433DK	"T" shape spacer screw		3	from 3 to 24 mm	100 pcs.	25 bags	375 bags	bags
TER04-4410DD	Cross anti-scratch pad			-	50 pcs.	10 bags	300 bags	bag

DESCRIPTION

MAGNETIK LEVEL™ is the first "Power-Assisted" cylinder leveling system. Unlike traditional systems, it features a built-in metal washer on the head, allowing for instantaneous magnetic coupling between the cylinder and the power drill adapter. This technology eliminates manual fatigue and significantly reduces installation time, ensuring consistent tightening precision every time.

Key Advantages:

- Dual-Drive: Can be used both manually and with a power drill thanks to the magnetic coupling.
- Magnetic Interface: The top galvanized steel washer ensures a firm grip with the magnetic adapter, preventing slippage and protecting the integrity of the cylinder.
- Works with all spacer clips of any shape (linear, T, and X-shape).

- Anti-scratch pad (available as an accessory) to protect delicate surfaces (marble, polished ceramic).
- Working Range: Ideal for standard large-format tiles from 3 to 22 mm thick, and for outdoor applications up to 30 mm.

MATERIAL

Cylinder: polypropylene PP + galvanised steel washer.

Adapter for power driver: PA and fibreglass + neodymium washer.





Screw: Made of polystyrene

USE

Leveling system and spacer for floor and wall tiles of various sizes and thicknesses, for both indoor and outdoor use. The system is engineered for high-productivity workflows, specifically for commercial and industrial applications.

MAGNETIK LEVEL KIT

Code	Product	mm	Pkg.	Pallet	UM
TER04-4490S1	Magnetik Level Kit - 100 Spacers Screws + 50 Levelling Cylinders + 1 Adapter For Screw Driver	1	1 box	80 boxes	box
TER04-4490S15	Magnetik Level Kit - 100 Spacers Screws + 50 Levelling Cylinders + 1 Adapter For Screw Driver	1,5	1 box	80 boxes	box
TER04-4490S2	Magnetik Level Kit - 100 Spacers Screws + 50 Levelling Cylinders + 1 Adapter For Screw Driver	2	1 box	80 boxes	box
TER04-4490S25	Magnetik Level Kit - 100 Spacers Screws + 50 Levelling Cylinders + 1 Adapter For Screw Driver	2,5	1 box	80 boxes	box
TER04-4490S3	Magnetik Level Kit - 100 Spacers Screws + 50 Levelling Cylinders + 1 Adapter For Screw Driver	3	1 box	80 boxes	box
TER04-4490S4	Magnetik Level Kit - 100 Spacers Screws + 50 Levelling Cylinders + 1 Adapter For Screw Driver	4	1 box	80 boxes	box




Tile spacers

Precision for a perfect installation

The Dakota Indoor range offers a wide selection of spacers for installing tiles of various sizes and shapes.



Spacers and shims from the Dakota Indoor range



Penta Spacer



"T" and "X" spacer



"Y" spacer



Wedge spacer

Spacers and shims:

A complete range of spacers made from recycled plastic for proper joint management. Dakota spacers offer flexibility and freedom of installation thanks to the various models available in sizes ranging from 0.5 mm to 10 mm.

	Type	Available thicknesses (mm)	Reusable	Application	Shape	Distinctive features
Penta Spacer	Multi-thickness	0,5 – 1 – 1.5 – 2 – 2,5 – 3 – 3,5 – 4 – 4,5 – 5 – 6	Yes	Flooring and wall coverings	Pentagonal	One spacer for 11 different joint widths
"X" spacer	Traditional	1 – 1.5 – 2 – 2.5 – 3 – 4 – 5 – 6 – 7 – 10	No	Flooring and wall coverings	X-shaped	Standard spacer, for standard installation of square or rectangular tiles
"T" spacer	Traditional	1 – 1.5 – 2 – 2.5 – 3 – 4 – 5 – 6 – 7 – 10	No	Flooring and wall coverings	T-shaped	Ideal for staggered installation or end-to-end tile laying
"Y" spacer	Specifically designed for hexagonal tiles	2 – 3	No	Flooring and wall coverings	Y-shaped(120°)	Designed for hexagonal tiles; facilitates geometric alignment
Wedge spacer	Wedge (adjustable)	0–5 and 0–10	Yes	Flooring and wall coverings	Wedge	Allows for fine adjustments of height and alignment; ideal for minor corrections

PENTA SPACER, MULTI-THICKNESS SPACER

Code	Product		mm	Pkg.	Pallet	UM
TER04-4415	Penta spacer in bag - 200 pcs. per bag		0.5 - 1 - 1.5 - 2 - 3	20 bags	300 bags	bag
TER04-4416	Penta spacer in box - 600 pcs. per box		0.5 - 1 - 1.5 - 2 - 3	1 box	80 boxes	box

DESCRIPTION

Reusable multi-thickness grout spacer for tiles.

With a single product it is possible to lay tiles with a grout line of 0.5, 1, 1.5, 2, 3 mm.

Penta is:

- This new generation of Tile Spacer is studied according to the UNI T1493-1 Standard (Methodology for the correct installation of ceramic tiles).
- Designed to guarantee different grout lines (from 0.5 to 3 mm).
- Marked to make easily visible each of the 5 sides of the product to which different thicknesses correspond.
- Can be used both on the floor and on the wall.
- Packed in boxes of 600 pcs. and / or in bags of 200 pcs. (20 bags/box).

MATERIAL

Made of recycled plastic material.


USE

Used as tile spacer for flooring and facade tiles.



LINEAR APPLICATION

Indicative consumption - **pc/m²**



A

B

EXAMPLE:
to lay a 30 x 60 cm tile
use 22 pcs/m²

A	10	15	20	25	30	40	45	50	60	80	90	100	120	cm
10	200													
15	133	89												
20	100	67	50											
25	80	53	40	32										
30	100	67	50	40	44									
40	75	50	37	30	33	25								
45	67	44	33	27	30	22	20							
50	60	45	30	24	27	20	13	16						
60	50	33	25	20	22	17	15	10	11					
80	50	33	25	20	21	16	14	15	10	9				
90	44	30	22	18	19	14	12	15	9	8	7			
100	50	33	25	20	20	15	13	15	10	9	8	8		
120	42	28	21	17	17	13	11	15	8	7	6	7	6	
cm	10	15	20	25	30	40	45	50	60	80	90	100	120	B



CROSS AND "T" SHAPED SPACER

Code	Product		mm	Pkg.	Pallet	UM
TER04-1201X	Cross shaped spacer 200 pcs. per bag		1	10.000 pcs.	240.000 pcs.	bag
TER04-1215X	Cross shaped spacer 200 pcs. per bag		1,5	10.000 pcs.	240.000 pcs.	bag
TER04-1202X	Cross shaped spacer 200 pcs. per bag		2	10.000 pcs.	160.000 pcs.	bag
TER04-1225X	Cross shaped spacer 200 pcs. per bag		2,5	10.000 pcs.	160.000 pcs.	bag
TER04-1203	Cross shaped spacer 200 pcs. per bag		3	10.000 pcs.	160.000 pcs.	bag
TER04-1204X	Cross shaped spacer 200 pcs. per bag		4	10.000 pcs.	160.000 pcs.	bag
TER04-1205	Cross shaped spacer 200 pcs. per bag		5	10.000 pcs.	160.000 pcs.	bag
TER04-1206X	Cross shaped spacer 200 pcs. per bag		6	9.000 pcs.	144.000 pcs.	bag
TER04-1207	Cross shaped spacer 200 pcs. per bag		7	5.000 pcs.	80.000 pcs.	bag
TER04-1200	Cross shaped spacer 200 pcs. per bag		10	5.000 pcs.	80.000 pcs.	bag
Code	Product		mm	Pkg.	Pallet	UM
TER04-1201T	"T" shaped spacer 200 pcs. per bag		1	5.000 pcs.	360.000 pcs.	bag
TER04-1215T	"T" shaped spacer 200 pcs. per bag		1,5	6.000 pcs.	270.000 pcs.	bag
TER04-1202T	"T" shaped spacer 200 pcs. per bag		2	5.000 pcs.	225.000 pcs.	bag
TER04-1225T	"T" shaped spacer 200 pcs. per bag		2,5	5.000 pcs.	225.000 pcs.	bag
TER04-1204	"T" shaped spacer 200 pcs. per bag		3	5.000 pcs.	225.000 pcs.	bag
TER04-1204T	"T" shaped spacer 200 pcs. per bag		4	5.000 pcs.	225.000 pcs.	bag
TER04-1206	"T" shaped spacer 200 pcs. per bag		5	5.000 pcs.	225.000 pcs.	bag
TER04-1206T	"T" shaped spacer 200 pcs. per bag		6	6.000 pcs.	216.000 pcs.	bag
TER04-1208	"T" shaped spacer 200 pcs. per bag		7	4.000 pcs.	144.000 pcs.	bag
TER04-1201	"T" shaped spacer 200 pcs. per bag		10	5.000 pcs.	120.000 pcs.	bag

DESCRIPTION

Cross and "T" spacer for tiles.
Sizes available 1, 1.5, 2, 2.5, 3, 4, 5, 6, 7, 10 mm.
200 pcs. per bag.

MATERIAL

Made of recycled plastic material.

USE

Used as a spacer for the grout line during the laying of internal tiles.

Y SHAPED SPACER FOR HEXAGONAL TILES

Code	Product	mm	Pkg.	Pallet	UM
TER04-1202Y	Y shaped spacer for hexagonal tiles - 200 pcs. per bags.	2	10.000 pcs.	240.000 pcs.	pc.
TER04-1203Y	Y shaped spacer for hexagonal tiles - 200 pcs. per bags.	3	10.000 pcs.	240.000 pcs.	pc.

DESCRIPTION


Y shaped spacer for hexagonal tiles.
2 and 3 mm sizes available, 200 pcs. per bag.

MATERIAL

Made of Precycled plastic material.

USE

Used as spacer system for hexagonal flooring and facade tiles.



WEDGE SHAPED SPACER

Code	Product	mm	Pkg.	Pallet	UM
TER04-1209	Wedge spacer - 200 pcs. per bag	from 0 to 5	15.000 pcs.	300.000 pcs.	pc.
TER04-1209B	Wedge spacer - 200 pcs. per bag	from 0 to 10	10.000 pcs.	300.000 pcs.	pc.

DESCRIPTION

Wedge tile spacer.
Sizes available 0 to 5 and 0 to 10 mm.
200 pcs. per bag.

MATERIAL

Made of recycled plastic material.

USE

Used for a fine adjustment of small differences in the tiles laying.



from 0 to 5 mm



from 0 to 10 mm

LEVELER FOR MOSAIC

Code	Product	mm	Pkg.	Pallet	UM
TER04-4000	Leveler for mosaic - 1sqm pack	300 x 300	16 pack.	432 pack	pc.

DESCRIPTION


Grating of 300x300 dimensions, thickness 1,30 mm, made of HD-PE. It is sold in a pack of 16 pieces, to cover around 1 sqm of installation.

MATERIAL

Made of HD-PE

USE

This grating is used to make a levelled and flat surface to makes the fixing of the mosaic fast and simple.



SHORT U-SHAPED SHIMS

Code	Product	Content	Pkg.	Pallet	UM
TER04-SM/100	Bag of 100 pieces mixed Small U shims	 30 pcs. 30 pcs. 30 pcs. 10 pcs.	16 bag	512 bag	bag

DESCRIPTION


U-shape for easy installation and fitting. Wedge-shaped tips for easy insertion into tight spaces. Central notch with three sizes to simplify fitting with screws and dowels. Stackable to compensate for uneven surfaces. Different colors for easy identification. Thickness size printed on each piece.

MATERIAL

Made of 100% recycled Polypropylene (PP).

USE

Ideal for support and leveling in various applications where a simple and practical accessory is needed. Perfect for professional shimming with screws and dowels. Suitable for load transfer and weight distribution during windows and doors installation.



LONG U-SHAPED SHIMS

Code	Product	Content	Pkg.	Pallet	UM
TER04-LM/60	bag of 60 pcs mixed Large U shims	 20 pcs. 20 pcs. 10 pcs. 10 pcs.	12 bag	384 bag	bag

Code	Product	mm	Pkg.	Pallet	UM
TER04-L1/200	Large U shim - 1mm thickness	1 mm thk. - 100 mm x 45 mm	8 bag	256 bag	bag
TER04-L3/200	Large U shim - 3mm thickness	3 mm thk. - 100 mm x 45 mm	5 bag	160 bag	bag
TER04-L5/200	Large U shim - 5mm thickness	5 mm thk. - 100 mm x 45 mm	8 bag	96 bag	bag
TER04-L10/200	Large U shim - 10mm thickness	10 mm thk. - 100 mm x 45 mm	5 bag	60 bag	bag

DESCRIPTION


Stable overlapping thanks to a patented clip that securely locks two or more spacers, preventing slippage (only for 3-5-6-10 mm spacers). U-shape for easy installation and fitting. Wedge-shaped tips for easy insertion into tight spaces. Comb grid to facilitate locking the spacer in the desired position with screws or dowels. Different colors for easy identification. Thickness size printed on each piece.

MATERIAL

Made of 100% recycled Polypropylene (PP).

USE

Perfect for professional shimming with screws and dowels. Ideal for support and leveling in various applications where a simple and practical accessory is needed. Suitable for load transfer and weight distribution during windows and doors installation.



FLAT SHIMS

Code	Product	Content	Pkg.	Pallet	UM
TER04-24/210	bag of 210 pieces of 24mm flat shims	 40 pcs. 30 pcs 40 pcs. 30 pcs. 40 pcs. 30 pcs.	18 bag	216 bag	bag
TER04-28/210	bag of 210 pieces of 28mm flat shims	 40 pcs. 30 pcs 40 pcs. 30 pcs. 40 pcs. 30 pcs.	16 bag	192 bag	bag
TER04-32/210	bag of 210 pieces of 32mm flat shims	 40 pcs. 30 pcs 40 pcs. 30 pcs. 40 pcs. 30 pcs.	14 bag	168 bag	bag

DESCRIPTION

Flat shims with textured surface (1 mm) and smooth surface (2-3-4-5-6 mm). Stable stacking thanks to a patented clip that securely locks two or more spacers, preventing slippage (only for 2-3-4-5-6 mm spacers). Breakable in half. Different colors for easy identification. Thickness size printed on each piece.

MATERIAL

Made of 100% recycled Polypropylene (PP).

USE

Universal rectangular spacers for various mounting applications, such as installing doors and windows, furniture, and wooden structures. Suitable for support and leveling in various applications where a simple and practical accessory is needed. Perfect for aligning door and window frames. Suitable for weight transfer and distribution during door and window installation.



PRECISION LEVELING WEDGE

Code	Product	mm	Pkg.	Pallet	UM
TER04-W200	Bag of 200 pcs precision wedge	80 x 45 mm	8 bag	96 bag	bag

DESCRIPTION

U-shaped wedge with a textured surface. Progressive grooves allow for highly effective, precise, and non-slip compensation on sloped surfaces. Specifically designed to compensate for uneven surfaces and structures. U-shape facilitates installation and fitting with screws and dowels. Non-slip textured surface. Thickness min./max.: 1 – 8 mm.

MATERIAL

Made of 100% recycled Polypropylene (PP).

USE

Designed to compensate for uneven surfaces and structures



PRE-CUT LEVELING WEDGE

Code	Product	mm	Pkg.	Pallet	UM
TER04-W8/50	Bag of 50 pre-cut wedge	80 x 45 mm	20 bag	640 bag	bag

DESCRIPTION

Breakable levelling wedge suitable for levelling and laying.
Extremely practical with pre-cuts for breaking to desired lengths.
Designed to compensate for uneven surfaces and structures.
Breakable into 8 parts, with levels ranging from 1 to 8 mm.

MATERIAL

Made of 70% recycled PS - Polystyrene.


USE

Designed to compensate for uneven surfaces and structures



SHIMS - PACK WITH MIXED PRODUCTS

Code	Product	Content	Pkg.	Pallet	UM
TER04-MX/200	Bag with 200 mixed shims		5 bag	160 bag	bag
		30 pcs. 20 pcs. 20 pcs. 10 pcs.			
					
		10 pcs. 10 pcs. 10 pcs. 10 pcs.			
					
		20 pcs. 20 pcs. 20 pcs. 10 pcs.			
					
		10 pcs.			
TER04-M/200	Bag with 200 mixed shims		7 bag	224 bag	bag
		40 pcs. 40 pcs. 40 pcs. 20 pcs.			
					
		20 pcs. 20 pcs. 10 pcs. 10 pcs.			
TER04-M/100	Bag with 100 mixed shims		14 bag	448 bag	bag
		20 pcs. 20 pcs. 20 pcs. 10 pcs.			
					
		10 pcs. 10 pcs. 10 pcs.			



INTERNAL FIR DOOR FRAME – “RONDINE”

Code	Product	mm	Pkg.	Pallet	UM
CON06-215085R	Internal fir door frame “Rondine”	2.150 x 1.040 x 85	1 pc.	156 pcs.	pc.
CON06-215105R	Internal fir door frame “Rondine”	2.150 x 1.040 x 105	1 pc.	132 pcs.	pc.
CON06-215120R	Internal fir door frame “Rondine”	2.150 x 1.040 x 120	1 pc.	120 pcs.	pc.
CON06-215140R	Internal fir door frame “Rondine”	2.150 x 1.040 x 140	1 pc.	96 pcs.	pc.



DESCRIPTION

Internal door frame, made of fir, manufactured to suit most common internal door sizes.

It is suitable for a 65 cm to 100 cm doors (pre-cut insert every 5cm) and it can be install on wall with width from 8,5 to 14 cm (8,5 cm, 10,5 cm, 12 cm, 14 cm).

Every jamb is provided with 3 metal clamps for a perfect and stable fixing to the wall.

Each door frame is composed by 3 pieces:

- 1 x head piece, length 104 cm;
- 2 x jambs (legs), height 215 cm.

Supplied in polybagged, flat pack ready for installation/sizing on site.

MATERIAL

Made of unfinished fir wood.

USE

Use to create the perimetral structure where install internal doors.



INTERNAL FIR DOOR FRAME WITH METAL SUPPORTS

Code	Product	mm	Pkg.	Pallet	UM
CON06-215085RC	Internal fir door frame with metal supports	2.150 x 1.040 x 85	1 pc.	156 pcs.	pc.
CON06-215105RC	Internal fir door frame with metal supports	2.150 x 1.040 x 105	1 pc.	132 pcs.	pc.
CON06-215120RC	Internal fir door frame with metal supports	2.150 x 1.040 x 120	1 pc.	120 pcs.	pc.
CON06-215140RC	Internal fir door frame with metal supports	2.150 x 1.040 x 140	1 pc.	96 pcs.	pc.



DESCRIPTION

Internal door frame, made of fir, manufactured to suit most common internal door sizes. It is suitable for a 65 cm to 100 cm doors (pre-cut insert every 5 cm) and it can be install on wall with width from 8,5 to 14 cm (8,5 cm, 10,5 cm, 12 cm, 14 cm).

Every jamb is provided with 3 metal clamps for a perfect and stable fixing to the wall.

Each door frame is composed by 3 pieces:

- 1 x head piece, length 104 cm;
- 2 x jambs (legs), height 215 cm;
- 2 x metal supports to fix temporary the jambs during the installation.

Supplied in polybagged, flat pack ready for installation/sizing on site.

MATERIAL

Made of unfinished fir wood.

USE

Use to create the perimetral structure where install internal doors.



INTERNAL FIR DOOR FRAME PLUS

Code	Product	mm	Pkg.	Pallet	UM
CON01-215085X	Internal fir door frame plus	2.150 x 1.040 x 85	1 pc.	156 pcs.	pc.
CON01-215095X	Internal fir door frame plus	2.150 x 1.040 x 95	1 pc.	132 pcs.	pc.
CON01-215105X	Internal fir door frame plus	2.150 x 1.040 x 105	1 pc.	132 pcs.	pc.
CON01-215120X	Internal fir door frame plus	2.150 x 1.040 x 120	1 pc.	120 pcs.	pc.
CON01-215130X	Internal fir door frame plus	2.150 x 1.040 x 130	1 pc.	108 pcs.	pc.
CON01-215140X	Internal fir door frame plus	2.150 x 1.040 x 140	1 pc.	96 pcs.	pc.
CON01-215150X	Internal fir door frame plus	2.150 x 1.040 x 150	1 pc.	96 pcs.	pc.



DESCRIPTION

Internal door frame, made of fir, manufactured to suit most common internal door sizes. It is suitable for a 65 cm to 100 cm doors (pre-cut insert every 5cm) and it can be install on wall with width from 8,5 to 15 cm (8,5 cm, 9,5 cm, 10,5 cm, 12 cm, 13 cm, 14 cm and 15 cm). Every jamb is provided with 3 metal clamps for a perfect and stable fixing to the wall.

The products is made of jointed pieces to increase lasting.

Each door frame is composed by 3 pieces:

- 1 x head piece, length 104 cm;
- 2 x jambs (legs), height 215 cm.

Supplied in polybagged, flat pack ready for installation/sizing on site.

MATERIAL

Made of unfinished fir wood.

USE

Use to create the perimetral structure where install internal doors.



PREMIUM SHELF

Code	Product	mm	Pkg.	Pallet	UM
CON07-2170	Premium Wood shelf	800 x 1.700 x 400	1 pc.	32 pcs.	pc.



DESCRIPTION

Shelf with 4 adjustable shelves.

The four support legs allow the positioning of the 4 shelves of the standard equipment on the suitable grooves.

MATERIAL

Made of natural polished hardwood spruce.

USE

Used to store stuff tidily, in house garages.



SLIM SHELF

Code	Product	mm	Pkg.	Pallet	UM
CON07-2171	Slim Wood shelf	800 x 1.700 x 300	1 pc.	45 pcs.	pc.



DESCRIPTION

Shelf with 4 adjustable shelves.

The four support legs allow the positioning of the 4 shelves of the standard equipment on the suitable grooves.

MATERIAL

Made of natural polished hardwood spruce.

USE

Used to store stuff tidily, in house garages.



COMBO SHELF

Code	Product	mm	Pkg.	Pallet	UM
CON07-2172	Combo Wood shelf	800 x 1.700 x 400	1 pc.	16 pcs.	pc.



DESCRIPTION

Shelf with 4 adjustable shelves, bottle shelf and box on wheels.

The four support legs allow the positioning of the 5 shelves of the standard equipment on the suitable grooves.

MATERIAL

Made of natural polished hardwood spruce.

USE

Used to store stuff tidily, in house garages.



NANO SHELF

Code	Product	mm	Pkg.	Pallet	UM
CON07-2173	Nano Wood shelf	800 x 1.000 x 400	1 pc.	20 pcs.	pc.



DESCRIPTION

Shelf with 3 adjustable shelves.

The four support legs allow the positioning of the 3 shelves of the standard equipment on the suitable grooves.

MATERIAL

Made of natural polished hardwood spruce.

USE

Used to store stuff tidily, in house garages.



FOLDING STAIRS

Code	Product	mm	Pkg.	Pallet	UM
SCA01-590/0	Folding stairs	500 x 700	1 pc.	4 pcs.	pc.
SCA01-590/1	Folding stairs	500 x 800	1 pc.	4 pcs.	pc.
SCA01-590/8	Folding stairs	500 x 900	1 pc.	4 pcs.	pc.
SCA01-590/2	Folding stairs	500 x 1.000	1 pc.	4 pcs.	pc.
SCA01-590/1S	Folding stairs	600 x 700	1 pc.	4 pcs.	pc.
SCA01-590/3S	Folding stairs	600 x 800	1 pc.	4 pcs.	pc.
SCA01-590/4S	Folding stairs	600 x 900	1 pc.	4 pcs.	pc.
SCA01-590/5S	Folding stairs	600 x 1.000	1 pc.	4 pcs.	pc.
SCA01-590/6S	Folding stairs	600 x 1.100	1 pc.	4 pcs.	pc.
SCA01-590/7S	Folding stairs	600 x 1.200	1 pc.	4 pcs.	pc.
SCA01-590/2S	Folding stairs	700 x 700	1 pc.	3 pcs.	pc.
SCA01-590/3	Folding stairs	700 x 800	1 pc.	4 pcs.	pc.
SCA01-590/4	Folding stairs	700 x 900	1 pc.	4 pcs.	pc.
SCA01-590/5	Folding stairs	700 x 1.000	1 pc.	4 pcs.	pc.
SCA01-590/6	Folding stairs	700 x 1.100	1 pc.	4 pcs.	pc.
SCA01-590/7	Folding stairs	700 x 1.200	1 pc.	4 pcs.	pc.
SCA01-590/X	Folding stairs customized • min. 500 x 700 • max. 900 x 1.400		1 pc.	-	pc.

DESCRIPTION

This retractable ladder "Supra" is made with bolt-on steps to simplify substitution or addition. Available in a wide range of sizes (see table) to a maximum height of 3.200 mm, wall, ceiling and tread width 80 mm.

This model is equipped with a fixing system that allows to position the insoles also on a not perfectly at surface.

Included lock and "open-close" stick.

Individually packed in shrink.


MATERIAL

The entire scale is made of tropicalized steel, powder sealed steel while the frame is made of galvanized steel, white enamelled finish.

USE

Usually used in homes and/or relevance and/or technical areas to reach attics without the encumbrance of a fixed ladder.

The ergonomic shape of the steps functions as a handrail, while getting up and down the ladder.



ACCESSORIES FOR FOLDING STAIRS

Code	Product	mm	Pkg.	Pallet	UM
SCA01-590/10	Single step for "Supra" stairs 500	300	1 pc.	-	pc.
SCA01-590/11	Single step for "Supra" stairs 600	320	1 pc.	-	pc.
SCA01-590/9	Single step for "Supra" stairs 700	400	1 pc.	-	pc.
SCA01-590/P	Handle for "Supra" stair	-	1 pc.	-	pc.
SCA01-590/B	Wood stick for folding stair	-	1 pc.	-	pc.
SCA01-590/S	Lock for folding stair	-	1 pc.	-	pc.
SCA01-590/M	Spring for wall stairs (Doble)	-	1 pc.	-	pc.

DESCRIPTION

Additional step available in widths of 300, 320 and 400 mm.

Handle from landing to facilitate the getting in.

Sticks, spring and lock for scale.

Packed individually.

MATERIAL

Made of tropicalized powder-coated steel.

USE

Used to increase the height of the floor-ceiling (allowing increased height up to 250 mm).

It is recommended to add not more than one.

The handle facilitates the access to the loft.

ATTIC STAIRS

Code	Product	mm	Pkg.	Pallet	UM
SCA01-590P/4	Attic stairs	700 x 900 x 3.000	1 pc.	4 pcs.	pc.
SCA01-590P/5	Attic stairs	700 x 1.000 x 3.000	1 pc.	4 pcs.	pc.
SCA01-590P/6	Attic stairs	700 x 1.100 x 3.000	1 pc.	4 pcs.	pc.
SCA01-590P/7	Attic stairs	700 x 1.200 x 3.000	1 pc.	4 pcs.	pc.

DESCRIPTION

This retractable ladder "Supra" wall is made with bolt-on steps to simplify the substitution or addition.

Available in a wide range of sizes (see table) to a maximum height of 3.000 mm floor-wall and tread width 80 mm.

It is installed on the wall (in vertical position), while maintaining all the features of security when using a floor/ceiling.

This model wall is equipped with a fixing system that allows to locate it even on walls which are not perfectly vertical.

Lock and "open-close" stick included.

Individually packed in shrink.

MATERIAL

The entire scale is made of tropicalized steel, powder sealed steel while the frame is made of galvanized steel, white enamelled finish.

USE

Usually used in homes and/or relevance and/or technical premises to reach neighboring rooms without the clutter of a fixed ladder.

The ergonomic shape of the steps functions as a handrail, while getting up and down the ladder.



ACCESSORIES FOR FOLDING STAIRS

Code	Product	mm	Pkg.	Pallet	UM
SCA01-590/10	Single step for "Supra" stairs 500	300	1 pc.	-	pc.
SCA01-590/11	Single step for "Supra" stairs 600	320	1 pc.	-	pc.
SCA01-590/9	Single step for "Supra" stairs 700	400	1 pc.	-	pc.
SCA01-590/P	Handle for "Supra" stair	-	1 pc.	-	pc.
SCA01-590/B	Wood stick for folding stair	-	1 pc.	-	pc.
SCA01-590/S	Lock for folding stair	-	1 pc.	-	pc.
SCA01-590/M	Spring for wall stairs (Doble)	-	1 pc.	-	pc.

DESCRIPTION

Additional step available in widths of 300, 320 and 400 mm.

Handle from landing to facilitate the getting in.

Sticks, spring and lock for scale.

Packed individually.

MATERIAL

Made of tropicalized powder-coated steel.

USE

Used to increase the height of the floor-ceiling (allowing increased height up to 250 mm).

It is recommended to add not more than one.

The handle facilitates the access to the loft.

STAINLESS STEEL FOLDING STAIR

Code	Product	mm	Pkg.	Pallet	UM
SCA05-855	4 Pieces stainless steel folding stair	700 x 900 x 2.800	1 pc.	4 pcs.	pc.
SCA05-856	4 Pieces stainless steel folding stair	700 x 1.000 x 3.000	1 pc.	4 pcs.	pc.
SCA05-857	3 Pieces stainless steel folding stair	700 x 1.200 x 3.000	1 pc.	4 pcs.	pc.
SCA05-858	3 Pieces stainless steel folding stair	700 x 1.300 x 3.000	1 pc.	4 pcs.	pc.
SCA05-855/X	3/4 Pieces stainless steel folding stair*	custom-made	1 pc.	-	pc.

*upon request only

DESCRIPTION

Ladder package composed of tubular elements and tread sheet printed textured anti-slip, made of zinc-plated and powder coated.

Tread width 370 mm.

Individually packed.

Available in the size of the entrance to the attic 700 x 900 x 2.800, 700 x 1.000 x 3.000, 700 x 1.200 x 3.000, 700 x 1.200 x 3.000 mm.

MATERIAL

Made of galvanized powder coated steel.

USE

Usually used in homes to reach attics without the encumbrance of a fixed scale. The ladder can be folded up and disappear to make the ceiling indicated in the presence of a confined space.



BRIGHT UNDULATING, COLOURED AND GLAZED GLASS BLOCK

Code	Product	mm	Pkg.	Pallet	UM
VET02-5001	Bright undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5002	Bright undulating glass block	240 x 240 x 80	5 pcs.	200 pcs.	pc.
VET02-5003	Bright right undulating glass block	190 x 90 x 80	10 pcs.	720 pcs.	pc.
VET02-5011	Bright undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5016SA	Blue Satin undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5017SA	Pink Satin undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5026SA	Green Satin undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5018SA	White Satin undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5016	Blue undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5017	Pink undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.
VET02-5026	Green undulating glass block	190 x 190 x 80	10 pcs.	360 pcs.	pc.

DESCRIPTION

Glass brick produced according to high quality standards that ensures the maintenance of the characteristics (transparency, brightness, colour) over time.

Available in various sizes and colours (see table) and with different textures depending on whether or corrugated steel.

MATERIAL

Made of cast glass, laminated and varnished laterally to increase the gloss.

USE

Used for a variety of architectural solutions also acting as a structural element of furniture.

It allows the passage of the light and/or singular chromatic effects in the environments.

VET02-5001 / 2



VET02-5001 / 2



VET02-5011



VET02-5016SA




VET02-5017SA



VET02-5018SA



VET02-5026SA



VET02-5016



VET02-5017



VET02-5026



FIRE RESISTANCE GLASS BLOCK

CLASS EI60 E EI90 UPON REQUEST

Code	Product	mm	Pkg.	Pallet	UM
VET02-5000	White undulating glass block EI60	190 x 190 x 160	2 pcs.	120 pcs.	pc.
VET02-5100	White undulating glass block EI90	190 x 190 x 160	2 pcs.	120 pcs.	pc.



DESCRIPTION

Glass block produced according to high quality standards which guarantees the maintenance of its characteristics (transparency, shine, color) over time.

Used for multiple architectural solutions.

Allows the passage of light and / or singular chromatic effects in rooms.

The fire resistance is equal to EI60 / EW60 or EI90 / EW90.

Resistance to temperature changes up to a maximum of 30°.

Compressive strength.

Hot assembled faces.

White painting on the lateral bands which maintain the brightness of the glass after installation.

MATERIAL

Made of molten glass, coupled and painted laterally to increase its shine.

USE

Used for multiple architectural solutions.

Allows the passage of light and / or singular chromatic effects in rooms.



LINEAR BRIGHT UNDULATING ENDING GLASS BLOCK

Code	Product	mm	Pkg.	Pallet	UM
VET02-5004	Linear bright undulating ending glass block	190 x 190 x 80	6 pcs.	360 pcs.	pc.

DESCRIPTION

Glass brick produced to a high quality standard, which ensures the maintenance of the characteristics (transparency, brightness, colour) over time.

MATERIAL

Made of cast glass, laminated and varnished laterally to increase the gloss.

USE

Used to complete surfaces of glass brick for improving the aesthetics.



SPACERS

Code	Product	mm	Pkg.	Pallet	UM
TER05-5013	Spacers	190 x 190 x 80	500 pcs.	7.500 pcs.	pc.

DESCRIPTION


Spacer for glass brick in white colour.
Packed in boxes of 500 pcs.

MATERIAL

Made of PP (polypropylene).

USE

Used to facilitate the work of putting in glass blocks, while keeping the width of the joints and avoiding contact between iron armor and the outer edge of the glass.



FRAME FOR GLASS BLOCK

Code	Product	mm	Pkg.	Pallet	UM
VET01-5023	Single glass block frame	190 x 190 x 80	1 pc.	108 pcs.	pc.
VET01-5024	Double glass block frame	190 x 390 x 80	1 pc.	66 pcs.	pc.
VET01-5025	Quadruple glass block frame	390 x 390 x 80	1 pc.	30 pcs.	pc.

DESCRIPTION

Frame for sliding glass brick available in versions for 1, 2 or 4 seater glass.
Packed individually.

MATERIAL

Made of galvanized sheet steel enameled white.

USE

Used to facilitate ventilation of premises.



DAKO-LL GLASS BLOCK GLUE

Code	Product	mm	Pkg.	Pallet	UM
VET09-5035	DAKO-LL glass block glue	-	25 kg.	1.250 kg.	kg.

DESCRIPTION

Adhesive for glass blocks. It can be stored up to 12 months if repared from sunlight, humidity and inclement weather in bags of 25 kg.

MATERIAL

Made with adhesive glue specifically for glass.

USE

Used for bonding glass bricks. Indicative consumption 25 kg/m².



SOLID GLASS BLOCK PLATE

Code	Product	mm	Pkg.	Pallet	UM
VET03-5020	Solid glass block plate	200 x 200 x 22	10 pcs.	600 pcs.	pc.

DESCRIPTION

Thick plate, available in size 200 x 200 x 22 mm with non-slip surface (the pattern may however be subject to change without notice), it goes to the appropriate tile (VET03-5021).

MATERIAL

Made of a single block of glass.

USE

Used for the realization of portions of the slab carrier (for axial loads) and/or horizontal structures (also of flat roofs) where access to give illumination to local and/or spaces below.



HEAVY GLASS BLOCK GRID "PULL"

Code	Product	mm	Pkg.	Pallet	UM
VET03-5080DK	Heavy glass block grid "Pull"	200 x 200 x 20	36 pcs.	1.440 pcs.	pc.

DESCRIPTION


The pull grating, available in size 200 x 200 x 20 mm, has to be matched with the frame VET03-5021.

MATERIAL

Made of PP (polypropylene).

USE

Used together with the tile (VET03-5021). Interposed with a solid glass plate (VET03-5020) in order to allow the ventilation of rooms and/or spaces below.



PYRAMIDAL FRAME

Code	Product	mm	Pkg.	Pallet	UM
VET03-5021	Frame for installation of full glass plate/"Pull" grid	200 x 200	100 pcs.	600 pcs.	pc.

DESCRIPTION


Tile truncated cone for laying glass blocks for horizontal use on the floors. Available in size 200 x 200 mm.

MATERIAL

Made of PP (polypropylene).

USE

Used together with the horizontal solid glass plate carrier (VET03-5020) and/or with the pull grid (VET01-5080DK).



CUP SHAPED GLASS BLOCK

Code	Product	mm	Pkg.	Pallet	UM
VET01-5033	Cup shaped glass block-small	145 x 145 x 55	10 pcs.	840 pcs.	pc.
VET01-5034	Cup shaped glass block-big	190 x 190 x 70	6 pcs.	312 pcs.	pc.

DESCRIPTION


Cup shaped glass block, available in sizes 145 x 145 x 55 and 190 x 190 x 70 mm. Frame no needed.

MATERIAL

Made of a single block of glass.

USE

Traditionally used in the production of glass-concrete prefabricated plates and/or floor beams carrier (for axial loads) and/or horizontal structures (also flat roofs) where access to give lighting local and/or spaces below.



HORIZONTAL LOAD BEARING GLASS BLOCK

Code	Product	mm	Pkg.	Pallet	UM
VET01-5030	Horizontal supporting glass block	190 x 190 x 80	5 pcs.	360 pcs.	pc.

DESCRIPTION

Horizontal load bearing glass block carrier for glass-concrete floor. Available in the size 190 x 190 x 80 mm in matching with the frame (VET03-5022).

MATERIAL

Made of molten reinforced glass, laminated and coated side for added sheen.

USE

Used for the construction of portions of the slab carrier (for axial loads) and/or horizontal structures (also of flat roofs) where undelying spaces and/or rooms need to be lighted up.



SHORT FRAME

Code	Product	mm	Pkg.	Pallet	UM
VET03-5022	Short frame	190 x 190	100 pcs.	1.000 pcs.	pc.

DESCRIPTION


Frame for the laying of glass blocks for horizontal use in attics. Available in size 190 x 190 mm.

MATERIAL

Made of PP (polypropylene).

USE

Used in conjunction horizontal brick bearing horizontal (VET01-5030).



DK BAND

Code	Product	mm	Pkg.	Pallet	UM
RET22-12070	Dk Band - Impermeable band (tape) PP	120 / 70	50 m	100 boxes	box

DESCRIPTION

Waterproofing strip of anti-alkaline fabric total height of 120 mm with a central band of 70 mm.
Packed in boxes.

MATERIAL

Made of PP (polypropylene).

USE

Used to reinforce the joints between wall and floor.



INTERNAL OR EXTERNAL CORNER FOR DK BAND

Code	Product	mm	Pkg.	Pallet	UM
RET22-12070I	Internal corner for DK Band	140 x 140 x 60	25 pcs.	-	pc.
RET22-12070E	External corner for DK Band	200 x 200 x 60	25 pcs.	-	pc.

DESCRIPTION

Internal and external corner pre-formed for waterproofing strip of anti-alkaline fabric total height of 120 mm with a central band of 70 mm.
Packed in boxes.

MATERIAL

Made of PP (polypropylene).


USE

Used in the corners at the junction points between the wall and the floor.



WHITE JOLLY PVC PROFILE from h. 6 to h. 12,5 mm

Code	Product	mm	Pkg.	Pallet	UM
PRO07-1806B	White Jolly Profile	h. 6 x 2.700	216 m	15.120 m	m
PRO07-1808B	Plus White Jolly Profile	h. 8 x 2.700	216 m	15.120 m	m
PRO07-1810B	Plus White Jolly Profile	h. 10 x 2.700	216 m	15.120 m	m
PRO07-1812B	White Jolly Profile	h. 12,5 x 2.700	216 m	-	m



DESCRIPTION

Round sectioned profile for tile floors.
Available in white h. 6, 8, 10, 12,5 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL

Made of plastic material.

USE


Used to connect corners in tile covering.



COLOURED PVC JOLLY PROFILE from h. 8 to h. 10 mm

Code	Product	Colour	mm	Pkg.	Pallet	UM
PRO07-1808G	Grey Jolly Profile		h 8,0 x 2.700	216 m	70 pkg.	m
PRO07-1810G			h 10,0 x 2.700	216 m	70 pkg.	m
PRO07-1808BB	Beige Jolly Profile		h 8,0 x 2.700	216 m	70 pkg.	m
PRO07-1810BB			h 10,0 x 2.700	216 m	70 pkg.	m
PRO07-1808A	Silver Jolly Profile*		h 8,0 x 2.700	216 m	70 pkg.	m
PRO07-1810A			h 10,0 x 2.700	216 m	70 pkg.	m

*product upon request



DESCRIPTION

Round sectioned profile used in the tile floors.
Available in different pastel colours (see table) h. 8/10 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of plastic material.

USE

Used to round off corners during tile covering.

MARBLED PVC JOLLY PROFILE from h. 8 to h. 10 mm

Code	Product	Colour	mm	Pkg.	Pallet	UM
PRO09-1830B	White Carrara Jolly Profile		h 8,0 x 2.700	216 m	70 pkg.	m
PRO09-1840B			h 10,0 x 2.700	216 m	70 pkg.	m
PRO09-1830BBS	Soft Cream Jolly Profile		h 8,0 x 2.700	216 m	70 pkg.	m
PRO09-1840BBS			h 10,0 x 2.700	216 m	70 pkg.	m
PRO09-1830T	Light Travertino Jolly Profile		h 8,0 x 2.700	216 m	70 pkg.	m
PRO09-1840T			h 10,0 x 2.700	216 m	70 pkg.	m
PRO09-1830TS	Dark Travertino Jolly Profile		h 8,0 x 2.700	216 m	70 pkg.	m
PRO09-1840TS			h 10,0 x 2.700	216 m	70 pkg.	m



DESCRIPTION

Round sectioned profile used to define the lines in the flooring tiles.
Available in different shades suggestive of marble (see table) h. 8/10 mm. Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of plastic material.

USE

Used to round off corners during tile covering

ANODIZED ALUMINUM JOLLY PROFILE from h. 8 to h. 10 mm

Code	Product	Colour	mm	Pkg.	Pallet	UM
PRO10-1932	Anodized Aluminum Jolly profile		h. 8 x 2.700	54 m	-	m
PRO10-1933	Anodized Aluminum Jolly profile		h. 10 x 2.700	54 m	-	m



DESCRIPTION

Round sectioned profile used in the flooring tiles.

Available in h. 8 and 10 mm.

Single shrink packed inside a PVC tube.

The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL

Made of aluminum.

USE

Used to round off corners during tile covering.

FITTING FOR ALU PROFILE ANODIZED from h. 8 to h. 10 mm

Code	Product	mm	Pkg.	Pallet	UM
PRO10-1942	Anodized Aluminum Corner	h. 8	10 pcs.	-	pc.
PRO10-1943	Anodized Aluminum Corner	h. 10	10 pcs.	-	pc.

DESCRIPTION

Junction element for "Jolly" profile for flooring tiles.

Available in white or anodized aluminum h. 8 and 10 mm, 10 pcs. per bag.

MATERIAL

Made of white and anodized painted aluminum.


USE

Used to connect the corners in tile covering.



ALUMINUM JOLLY PLUS PROFILE from h. 8 to h. 12 mm

Code	Product	Model	mm	Pkg.	Pallet	UM
Aluminum Plus Satinized						
PRO20-2010S	Satinized Aluminum Jolly Profile		h. 8 x 2.500	50 m	-	m
PRO20-2011S	Satinized Aluminum Jolly Profile		h. 10 x 2.500	50 m	-	m
PRO20-2012S	Satinized Aluminum Jolly Profile		h. 12 x 2.500	50 m	-	m
Aluminum Plus Polished						
PRO20-2010L	Polished Aluminum Jolly Profile		h. 8 x 2.500	50 m	-	m
PRO20-2011L	Polished Aluminum Jolly Profile		h. 10 x 2.500	50 m	-	m
PRO20-2012L	Polished Aluminum Jolly Profile		h. 12 x 2.500	50 m	-	m



DESCRIPTION

Round sectioned definition profile for flooring tiles.

Available in height 8, 10 and 12 mm.

Single shrink packed inside a PVC tube.

The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of satinized or polished aluminum.

USE

Used to round off corners during tile covering.

ALUMINUM JOLLY STANDARD PROFILE from h. 8 to h. 12 mm

Code	Product	Model	mm	Pkg.	Pallet	UM
Aluminum Standard Satinized						
PRO20-2021SP	Aluminum Jolly Satinized Profile		h. 10 x 2.600	52 m	75 boxes	m
Aluminum Standard Polished						
PRO20-2021LP	Aluminum Jolly Polished Profile		h. 10 x 2.600	52 m	75 boxes	m



DESCRIPTION

Round sectioned definition profile used in the flooring tiles.

Available in height 8, 10 and 12 mm.

Single shrink packed inside a PVC tube.

The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of satinized or polished aluminum.

USE

Used to round off corners during tile covering.

STAINLESS STEEL JOLLY PROFILE from h. 8 to h. 12 mm

Code	Product	mm	Pkg.	Pallet	UM
PRO10-1936	Stainless Steel Jolly Profile	h. 8 x 2.700	54 m	50 boxes	m
PRO10-1937	Stainless Steel Jolly Profile	h. 10 x 2.700	54 m	50 boxes	m
PRO10-1938	Stainless Steel Jolly Profile	h. 12 x 2.700	54 m	50 boxes	m



DESCRIPTION

Round sectioned definition profile used in the flooring tiles.

Available in height 8, 10 and 12 mm.

Single shrink packed inside a PVC tube.

The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL

Made of stainless steel.

USE

Used to round off corners during tile covering.



INTERNAL AND EXTERNAL STAINLESS STEEL CORNER from h. 8 to h. 12 mm

Code	Product	mm	Pkg.	Pallet	UM
PRO10-1944I	Stainless Steel Internal Corner	h. 8	10 pcs.	-	pc.
PRO10-1945I	Stainless Steel Internal Corner	h. 10	10 pcs.	-	pc.
PRO10-1946I	Stainless Steel Internal Corner	h. 12	10 pcs.	-	pc.
PRO10-1944	Stainless Steel External Corner	h. 8	10 pcs.	-	pc.
PRO10-1945	Stainless Steel External Corner	h. 10	10 pcs.	-	pc.
PRO10-1946	Stainless Steel External Corner	h. 12	10 pcs.	-	pc.

DESCRIPTION

Junction element for "Jolly" profile used in the floor tiling.

Available in height 8, 10, 12 mm, 10 pcs. per bag

MATERIAL


Made of stainless steel.


USE

Used to round off corners during tile covering.



ALUMINUM OR STAINLESS STEEL “L” SHAPED PROFILE

Code	Product	Colour	mm	Pkg.	Pallet	UM
Aluminum						
PRO10-1902	“L” shaped silver aluminum profile		h. 8 x 2.700	54 m	-	m
PRO10-1903	“L” shaped silver aluminum profile		h. 10 x 2.700	108 m	-	m
PRO20-2063SP	“L” shaped satinized aluminum profile		h. 8 x 2.600	52 m	75 boxes	m
PRO20-2064S	“L” shaped satinized aluminum profile		h. 12 x 2.600	52 m	75 boxes	m
Stainless Steel						
PRO10-1906	“L” shaped stainless steel profile		h. 8 x 2.700	54 m	-	m
PRO10-1907	“L” shaped stainless steel profile		h. 10 x 2.700	54 m	-	m



DESCRIPTION

“L” shaped definition profile used in floor tiling.
Available in height 8/10 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL

Made of aluminum or stainless steel.


USE

Used to define angles in tile covering.

ENDING PROFILE

made of anodized ALuminum OR polished BRASS

Code	Product	mm	Pkg.	Pallet	UM
PRO10-1955	Anodized aluminum ending	h. 10 x 2.700	54 m	-	m
PRO06-1649G	Polished brass ending	h. 10 x 2.700	54 m	-	m



DESCRIPTION

Terminal definition profile with triangular shape, for floor tiling.
Available in size 10 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap)

MATERIAL


Made of silver anodized aluminum and polished brass.


USE

Used as finishing and in the end of the tile flooring, or to fit tiles of different colours and/or materials (eg. ceramic and parquet).



ALUMINUM OR NATURAL BRASS "T" SHAPED PROFILE

Code	Product	Colour	mm	Pkg.	Pallet	UM
Aluminum						
PRO10-1960	"T" shaped anodized aluminum profile		d 14 x h. 9 x 2.700	54 m	-	m
PRO10-1961	"T" shaped anodized aluminum profile		d 25 x h. 9 x 2.700	54 m	-	m
PRO20-2025SP	"T" shaped satinized aluminum profile		d 11 x h. 9 x 2.500	50 m	75 boxes	m
PRO20-2026SP	"T" shaped satinized aluminum profile		d 20 x h. 9 x 2.500	50 m	75 boxes	m
Natural Brass						
PRO10-1962	"T" shaped polished natural brass profile		d 14 x h. 9 x 2.700	54 m	-	m
PRO10-1963	"T" shaped polished natural brass profile		d 25 x h. 9 x 2.700	54 m	-	m

**DESCRIPTION**

"T" shaped definition profile used in floor tiling. Available in height 11, 14, 20 and 25 mm. Single shrink packed inside a PVC tube. The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of anodized/satinized/polished aluminum or polished brass.

USE

Used as finishing and in the end of the tile flooring, or to fit tiles of different colours and/or materials (eg. ceramic and parquet).

ALUMINUM OR WHITE PVC STEPSAVER PROFILE

Code	Product	Colour	mm	Pkg.	Pallet	UM
PRO20-2062SP	Stepsaver aluminum profile		25 x 25 x 2.500	50 m	75 boxes	m
PRO18-1803	Stepsaver white PVC profile		25 x 25 x 3.000	150 m	48 boxes	box

**DESCRIPTION**

Profile used as protection of the step/edge in the tile covering. Available in the dimension 25 x 25 mm in aluminum. Single shrink packed inside a PVC tube. The barcode is shown both on the profile and on the tube (on the profile and on the cap).


MATERIAL


Made of satinized aluminum or white PVC.

USE

Used to protect steps and/or edges from damage or shocks.

ALUMINUM OR BRASS JUNCTION

Code	Product		mm	Pkg.	Pallet	UM
PRO10-1990	Aluminum joint cover Silver		d 30 x 900	45 m	-	m
PRO10-1991	Aluminum joint cover Silver		d 30 x 2.700	108 m	-	m
PRO10-1992	Polished brass joint cover		d 30 x 930	45 m	-	m
PRO10-1993	Polished brass joint cover		d 30 x 2.700	54 m	-	m



DESCRIPTION

Connecting element with overlap for the thresholds in the transition between different materials.
Available in sizes 30 x 900 or 30 x 930 or 30 x 2.700 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of silver aluminum or polished brass effect.

USE

Used to create an overlapping next the thresholds in order to highlight the transition between different colours of tiles and/or materials (eg. ceramic and parquet).

SATINIZED OR POLISHED ALUMINUM PROFILE from h. 10 to h. 20 mm

Code	Product	Colour	mm	Pkg.	Pallet	UM
PRO20-2024S	Satinized Aluminum Profile		d 20 x h. 8 x 2.500	50 m	75 boxes	m
PRO20-2023LP	Polished Aluminum Profile		d 10 x h. 8 x 2.500	50 m	75 boxes	m
PRO20-2024LP	Polished Aluminum Profile		d 20 x h. 8 x 2.500	50 m	75 boxes	m



DESCRIPTION

Decorative slat used as junction between different kinds of tiles.
Available in sizes 10 x 8/20 x 8 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of satinized or polished aluminum.

USE

Used as a slaut or greek fret in tiled floors.

SATINIZED OR POLISHED ALUMINUM PROFILE from h. 11 to h. 13 mm

Code	Product	Colour	mm	Pkg.	Pallet	UM
PRO20-2027SP	Satinized Aluminum Profile		h. 11 x 2.600	52 m	75 boxes	m
PRO20-2027LP	Polished Aluminum Profile		h. 11 x 2.600	52 m	75 boxes	m
PRO20-2028LP	Polished Aluminum Profile		h. 13 x 2.600	52 m	75 boxes	m



DESCRIPTION

Decorative slat used as junction between different kinds of tiles.
Available the height 11/13 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of satinized/polished aluminum.

USE

Used to trim edges in coatings of bathrooms and/or kitchens with tiles.

STAINLESS STEEL PROFILE h. 12,5 m.

Code	Product		mm	Pkg.	Pallet	UM
PRO20-2050L	Polished Stainless Steel Profile		h. 12,5 x d 12,5 x 2.700	54 m	50 boxes	m
PRO20-2050S	Brushed Stainless Steel Profile		h. 12,5 x d 12,5 x 2.700	54 m	50 boxes	m



DESCRIPTION

Decorative slat used as junction between different kinds of tiles.
Available in sizes h. 12,5 x 12,5 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).



MATERIAL


Made of polished or brushed Stainless Steel.

USE

Used to trim edges in coatings of bathrooms and/or kitchens with tiles.

SATINIZED ALUMINUM INNER TILE for internal corner from h. 10 to h. 1 mm

Code	Product	Colour	mm	Pkg.	Pallet	UM
PRO20-2061SP	Satinized Aluminum Inner Tile protector		h. 10 x 2.500	50 m	75 boxes	m
PRO20-2030L	Polished Aluminum Stepsaver profile		h. 12 x 2.500	50 m	75 boxes	m
PRO20-2030S	Satinized Aluminum Stepsaver profile		h. 12 x 2.500	50 m	75 boxes	m



DESCRIPTION

Rounded profile section for step.
Available in height 10 or 12 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of satinized or polished aluminum.

USE

Used for finishing and protection of the steps in the coatings and/or floors with tiles.

SATINIZED OR POLISHED ALUMINUM INTERNAL CORNER PROFILE

Code	Product		mm	Pkg.	Pallet	UM
PRO20-2029L	Polished Aluminum Inner Tile for Internal Corner		h. 10 x 2.500	50 m	3.750 m	m
PRO20-2029S	Satinized Aluminum Inner Tile for Internal Corner		h. 10 x 2.500	50 m	3.750 m	m



DESCRIPTION

Concave section profile to be positioned in correspondence of the fitting-coating tiled floor.
Available in height 10 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL


Made of polished or satinized aluminum.

USE

Used in the junction between wall and floor tiled to form a rounded corner for easy cleaning.

SATINIZED ALUMINUM INTERNAL CORNER PROFILE

Code	Product		mm	Pkg.	Pallet	UM
PRO20-2060S	Satinized Aluminum Internal Corner Profile		h. 12 x 2.500	50 m	3.750 m	m



DESCRIPTION

Concave section profile to be positioned in correspondence of the fitting-coating tiled floor.
Available in height 12 mm.
Single shrink packed inside a PVC tube.
The barcode is shown both on the profile and on the tube (on the profile and on the cap).

MATERIAL

Made of satinized aluminum.

USE

Used in the junction between wall and floor tiled to form a rounded corner for easy cleaning.

WHITE "MAGNUM" HYGIENICAL PROFILE

Code	Product	mm	Pkg.	Pallet	UM
PRO07-1816C	White "Magnum" hygienical profile	h. 45 x d 45 x 2.000	32 m	1.280 m	m



DESCRIPTION


The hygienic "Magnum" fitting is recommended in the coating flooring.

MATERIAL

Made of thermoplastic resin PVC (polyvinylchloride) white.


USE

It is highly recommended in cases where intensive washings and sanitizing treatments occur.



HYGIENICAL PROFILE AND BIADHESIVE HYGIENICAL PROFILE

Code	Product	mm	Pkg.	Pallet	UM
PRO07-1816BA	White hygienical biadhese profile	h. 23 x d 23 x 2.500	50 m	1.500 m	m



DESCRIPTION

The hygienic junction is recommended as connection in the coatings floorings.

Available in boxes, size 23 x 23 mm.

MATERIAL

Made of thermoplastic resin PVC (polyvinylchloride) white.

USE

Used in the fitting of floors and walls already installed, where there are intensive washing and/or sanitizing treatments.



INTERNAL CORNERS PROFILE

Code	Product	mm	Pkg.	Pallet	UM
PRO07-1808IB	White Horizontal profile	h. 8 x 2.500	50 m	5.000 m	m
PRO07-1810IB	White Horizontal profile	h. 10 x 2.500	50 m	5.000 m	m
PRO07-1808VB	White Vertical profile	h. 8 x 2.700	108 m	-	m
PRO07-1810VB	White Vertical profile	h. 10 x 2.700	108 m	-	m



DESCRIPTION


Horizontal/vertical profile recommended for floors and walls. Available in height 8 and 10 mm packed in boxes.

MATERIAL

Made of white PVC thermoplastic resin.

USE

Used for joining hygienical profiles.



HYGENIC CORNER PROFILE "MAGNUM"

Code	Product	mm	Pkg.	Pallet	UM
PRO07-1811B	Hygenic Corner Profile Magnum	h. 11 x 2.700	108 m	2.160 m	m



DESCRIPTION


Horizontal/vertical joint, used to connect floors and coverings.

MATERIAL

Made of white PVC thermoplastic resin (polyvinylchloride).

USE

This profile acts as a joint between floor and wall.



ACCESSORIES FOR HYGENIC CORNER PROFILE "MAGNUM"

Code	Product	mm	Pkg.	Pallet	UM
PRO07-1811I3	3 ways internal corner	-	20 pcs.	-	pc.
PRO07-1811I2	2 ways internal corner	-	20 pcs.	-	pc.
PRO07-1811E2	2 ways external corner	-	20 pcs.	-	pc.
PRO07-1811T	End cap for hygenic corner profile	-	20 pcs.	-	pc.

DESCRIPTION


Connecting or closing element for hygenic corner profile. Available in 2 or 3 ways (both internal and external corner), 20 pcs./box.

MATERIAL

Made of white PVC thermoplastic resin (polyvinylchloride).

USE

Used as connection for profiles.



TRANSPARENT AND GREY SILICONE JUNCTION

Code	Product		mm	Pkg.	Pallet	UM
PRO16-55C08	Transparent Silicone junction		d 8 x h. 8 x 2.500	100 m	60 boxes	box
PRO16-55C10	Transparent Silicone junction		d 8 x h. 10 x 2.500	100 m	60 boxes	box
PRO16-55C12	Transparent Silicone junction		d 8 x h. 12 x 2.500	100 m	50 boxes	box
PRO16-55C14	Transparent Silicone junction		d 8 x h. 14 x 2.500	100 m	40 boxes	box
PRO16-55C16	Transparent Silicone junction		d 8 x h. 16 x 2.500	100 m	30 boxes	box
PRO16-55C08G	Grey Silicone junction		d 8 x h. 8 x 2.500	100 m	60 boxes	box
PRO16-55C10G	Grey Silicone junction		d 8 x h. 10 x 2.500	100 m	60 boxes	box



DESCRIPTION

Expansion open profile with silicone.
Available in size (width per height) 8 x 8, 8 x 10, 8 x 12, 8 x 14, 8 x 16 mm with transparent silicone and 8 x 8, 8 x 10 mm with grey silicone, packed in bundles of 100 m.

MATERIAL

Made of PP (polypropylene) and silicone.

USE

Used as expansion joint, thus avoiding fissure and/or cracks in floors laid with glue due to stress, subsidence and thermal shock. We suggest to use 20-30 m² junction for internal use and 10-15 m² junction for external use.

Laying with glue.

SILICONE FISHBONE SHAPE JUNCTION

Code	Product		mm	Pkg.	Pallet	UM
PRO16-55M25	Silicone fishbone shape junction		d 8 x h. 25	100 m	40 boxes	box
PRO16-55M35	Silicone fishbone shape junction		d 8 x h. 35	100 m	30 boxes	box
PRO16-55M50/50	Silicone fishbone shape junction		d 8 x h. 45	50 m	30 boxes	box



DESCRIPTION

Broaden fishbone shaped profiles for floor-tiling.
Available in size (width per height) 8 x 25, 8 x 35, 8 x 50 mm packed in bundles of 100 m.

MATERIAL

Made of PP (polypropylene) and silicone.


USE

Used as expansion joint, thus avoiding fissure and/or cracks in floors laid with glue due to stress, subsidence and thermal shock. We suggest to use 20-30 m² junction for internal use and 10-15 m² junction for external use.

Laying with mortar.

START PROFILE FOR BALCONIES

Code	Product	mm	Pkg.	Pallet	UM
PRO21-2080/100	Start Profile for balconies 10	h. 10 x h1 25 x 2.700	5 pcs.	-	pc.
PRO21-2081/125	Start Profile for balconies 12,5	h. 12,5 x 1 27 x 2.700	5 pcs.	-	pc.



DESCRIPTION

Horizontal profile with drip for the protection and finishing of the external edges of terraces and balconies.


Recommended for tiles with thickness up to 12 mm.

MATERIAL

Made of silver anodized Aluminum-Magnesium-Silicon alloy.

USE


Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.



* New colors upon request. Minimum order 100 pieces

ACCESSORIES FOR START PROFILE FOR BALCONIES

Code	Product	mm	Pkg.	Pallet	UM
PRO21-2080A	External Corner for Start Profile for Balconies 10 - Silver Anodized	120 x 120	5 pz.	-	pz.
PRO21-2081A	External Corner for Start Profile for Balconies 12,5 - Silver Anodized	120 x 120	5 pz.	-	pz.



DESCRIPTION


External corner of the horizontal profile indicated for protection and finishing of external edges of terraces and balconies (120 x 120 mm).

MATERIAL

Made of Aluminum-Magnesium-Silicon alloy painted ash grey and antique gray,

USE

Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.





* New colors upon request. Minimum order 50 pieces

BALCONY PROFILE WITH WATER DRAIN

Code	Product	mm	Pkg.	Pallet	UM
Profile height 30 mm					
PRO21-2082/125	Balcony Profile with Water Drain - Ash Grey*.	h 12,5 x h1 30 x 2.700	5 pcs.	-	pc.
PRO21-2083/125	Balcony with Water Drain - Antique Grey*	h 12,5 x h1 30 x 2.700	5 pcs.	-	pc.
Profile height 55 mm					
PRO21-2072/100	Balcony Profile with Water Drain - Ash Grey*.	h 10 x h1 55 x 2.700	5 pcs.	-	pc.
PRO21-2073/100	Balcony with Water Drain - Antique Grey*	h 10 x h1 55 x 2.700	5 pcs.	-	pc.
PRO21-2072/125	Balcony Profile with Water Drain - Ash Grey*.	h 12,5 x h1 55 x 2.700	5 pcs.	-	pc.
PRO21-2073/125	Balcony with Water Drain - Antique Grey*	h 12,5 x h1 55 x 2.700	5 pcs.	-	pc.
Profile height 75 mm					
PRO21-2074/100	Balcony Profile with Water Drain - Ash Grey*.	h 10 x h1 75 x 2.700	5 pcs.	-	pc.
PRO21-2075/100	Balcony with Water Drain - Antique Grey*	h 10 x h1 75 x 2.700	5 pcs.	-	pc.
PRO21-2074/125	Balcony Profile with Water Drain - Ash Grey*.	h 12,5 x h1 75 x 2.700	5 pcs.	-	pc.
PRO21-2075/125	Balcony with Water Drain - Antique Grey*	h 12,5 x h1 75 x 2.700	5 pcs.	-	pc.

* New colors upon request. Minimum order 100 pieces



DESCRIPTION

Horizontal profile for the protection and finishing of the external edges of terraces and balconies.

Recommended for tiles with a thickness up to 12 mm.

This version allows the water discharge thanks to the holes on the profile.

MATERIAL

Made of Aluminum-Magnesium-Silicon alloy painted ash grey, antique gray, grey RAL 9007, brown RAL 8019, Rust, white RAL 9003.

USE

Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.

COLOR ASH GREY	COLOR ANTIQUE GRAY	COLOR GREY RAL 9007*	COLOR BROWN RAL 8019*	COLOR RUST*	COLOR WHITE RAL 9003	COLOR METAL GREY RAL 9006*

ACCESSORIES FOR BALCONY PROFILE WITH WATER DRAIN

Code	Product	mm	Pkg.	Pallet	UM
Outer corner height 30 mm					
PRO21-2082AE/125	External corner for Balconies Profile with Water Drain – Grey Ash	h 12,5 x a 30	5 pcs.	-	pc.
PRO21-2083AE/125	External corner for Balconies Profile with Water Drain - Antique Grey	h 12,5 x a 30	5 pcs.	-	pc.
Joint height 30 mm					
PRO21-2082G/125	Junction for Balconies Profile with Water Drain - Grey ash	h 12,5 x a 30	5 pcs.	-	pc.
PRO21-2083G/125	Junction for Balconies Profile with Water Drain - Antique Grey	h 12,5 x a 30	5 pcs.	-	pc.
Outer corner height 55 mm					
PRO21-2072AE/100	External corner for Balconies Profile with Water Drain – Grey Ash	h 10 x a 55	5 pcs.	-	pc.
PRO21-2073AE/100	External corner for Balconies Profile with Water Drain - Antique Grey	h 10 x a 55	5 pcs.	-	pc.
PRO21-2072AE/125	External corner for Balconies Profile with Water Drain – Grey Ash	h 12,5 x a 55	5 pcs.	-	pc.
PRO21-2073AE/125	External corner for Balconies Profile with Water Drain - Antique Grey	h 12,5 x a 55	5 pcs.	-	pc.
Inner corner height 55 mm					
PRO21-2072AI/125	Internal corner for Balconies Profile with Water Drain – Grey Ash	h 12,5 x a 55	5 pcs.	-	pc.
PRO21-2073AI/125	Internal corner for Balconies Profile with Water Drain - Antique Grey	h 12,5 x a 55	5 pcs.	-	pc.
Joint height 55 mm					
PRO21-2072G/100	Junction for Balconies Profile with Water Drain - Grey ash	h 10 x a 55 x 70	5 pcs.	-	pc.
PRO21-2073G/100	Junction for Balconies Profile with Water Drain - Antique Grey	h 10 x a 55 x 70	5 pcs.	-	pc.
PRO21-2072G/125	Junction for Balconies Profile with Water Drain - Grey ash	h 12,5 x a 55 x 70	5 pcs.	-	pc.
PRO21-2073G/125	Junction for Balconies Profile with Water Drain - Antique Grey	h 12,5 x a 55 x 70	5 pcs.	-	pc.
Outer corner height 75 mm					
PRO21-2074AE/100	External corner for Balconies Profile with Water Drain – Grey Ash	h 10 x a 75	5 pcs.	-	pc.
PRO21-2075AE/100	External corner for Balconies Profile with Water Drain - Antique Grey	h 10 x a 75	5 pcs.	-	pc.
PRO21-2074AE/125	External corner for Balconies Profile with Water Drain – Grey Ash	h 12,5 x a 75	5 pcs.	-	pc.
PRO21-2075AE/125	External corner for Balconies Profile with Water Drain - Antique Grey	h 12,5 x a 75	5 pcs.	-	pc.
Joint height 75 mm					
PRO21-2074G/100	Junction for Balconies Profile with Water Drain - Grey ash	h 10 x a 75 x 70	5 pcs.	-	pc.
PRO21-2075G/100	Junction for Balconies Profile with Water Drain - Antique Grey	h 10 x a 75 x 70	5 pcs.	-	pc.
PRO21-2074G/125	Junction for Balconies Profile with Water Drain - Grey ash	h 12,5 x a 75 x 70	5 pcs.	-	pc.
PRO21-2075G/125	Junction for Balconies Profile with Water Drain - Antique Grey	h 12,5 x a 75 x 70	5 pcs.	-	pc.

* New colors upon request. Minimum order 50 pieces

DESCRIPTION

External finishing corner profile is recommended for the protection and finishing of the external edges of terraces and balconies with water discharge (120 x 120 mm).




Junction for the horizontal profile (made of 2 elements). It is recommended for the protection and finishing of the external edges of terraces and balconies with drips.

MATERIAL

Made of Aluminum-Magnesium-Silicon alloy painted ash grey, antique gray, grey RAL 9007, brown RAL 8019, Rust, white RAL 9003.

USE


Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.

COLOR ASH GREY	COLOR ANTIQUE GRAY	COLOR GREY RAL 9007*	COLOR BROWN RAL 8019*	COLOR RUST*	COLOR WHITE RAL 9003	COLOR METAL GREY RAL 9006*
						

FINISHING PROFILES FOR BALCONIES

Code	Product	mm	Pkg.	Pallet	UM
PRO21-2070/125	Finishing Profiles for balconies - Grey ash	h 12,5 x h1 45 x 2.700	5 pcs.	-	pc.
PRO21-2071/125	Finishing Profiles for balconies - Antique Grey	h 12,5 x h1 45 x 2.700	5 pcs.	-	pc.

* New colors upon request. Minimum order 100 pieces



DESCRIPTION

Horizontal profile for the protection and finishing of the external edges of terraces and balconies. Recommended for tiles with a thickness up to 12 mm.

MATERIAL

Made of Aluminum-Magnesium-Silicon alloy painted ash grey, antique gray, grey RAL 9007, brown RAL 8019, Rust, white RAL 9003.

USE

Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.

COLOR ASH GREY	COLOR ANTIQUE GRAY	COLOR METAL GRAY RAL 9006*	COLOR WHITE STONE

FINISHING ACCESSORIES PROFILES FOR BALCONIES

Code	Product	mm	Pkg.	Pallet	UM
PRO21-2070AE/125	Corner End Balcony Profile - Ash Grey*	h 12,5	5 pcs.	-	pc.
PRO21-2071AE/125	Corner Terminal Balcony Profile - Antique Gray*	h 12,5	5 pcs.	-	pc.
PRO21-2070G/125	Terminal Balcony Profile Joint - Ash Grey*.	h 12,5 x 70	5 pcs.	-	pc.
PRO21-2071G/125	Terminal Balcony Profile Joint - Antique Grey	h 12,5 x 70	5 pcs.	-	pc.

* New colors upon request. Minimum order 50 pieces

DESCRIPTION

External corner of the horizontal profile indicated for protection and finishing of external edges of terraces and balconies (100 x 100 mm). Horizontal profile joint indicated for the protection and finishing of the outer edges of terraces and balconies.

MATERIAL

Made of Aluminum-Magnesium-Silicon alloy painted ash grey, antique gray, grey RAL 9007, brown RAL 8019, Rust, white RAL 9003.

USE



Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.

COLOR ASH GREY	COLOR ANTIQUE GRAY	COLOR METAL GRAY RAL 9006*	COLOR WHITE STONE

BALCONIES PROFILE WITH WATER DRAINAGE

Code	Product	mm	Pkg.	Pallet	UM
PRO21-2076/100	Balcony profile with water drainage - Ash Grey*	h 10 x h1 55 x 2.700	5 pcs.	-	pc.
PRO21-2077/100	Balcony Profile with Water Drainage - Antique Gray*	h 10 x h1 55 x 2.700	5 pcs.	-	pc.
PRO21-2078/125	Balcony profile with water drainage - Ash Grey*	h 12,5 x h1 55 x 2.700	5 pcs.	-	pc.
PRO21-2079/125	Balcony Profile with Water Drainage - Antique Gray*	h 12,5 x h1 55 x 2.700	5 pcs.	-	pc.

* New colors upon request. Minimum order 100 pieces



DESCRIPTION

Horizontal profile for the protection and finishing of the external edges of terraces and balconies.

Recommended for tiles with a thickness up to 12 mm.

MATERIAL

Made of Aluminum-Magnesium-Silicon alloy painted ash grey, antique gray, grey RAL 9007, brown RAL 8019, Rust, white RAL 9003.

USE

Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.

COLOR ASH GREY	COLOR ANTIQUE GRAY	COLOR METAL GRAY RAL 9006*	COLOR WHITE STONE

BALCONIES ACCESSORIES PROFILE WITH WATER DRAINAGE

Code	Product	mm	Pkg.	Pallet	UM
PRO21-2076A/100	External Corner Profile for Balconies with Water Drainage - Ash Grey*.	h 10 x a 55	5 pcs.	-	pc.
PRO21-2077A/100	External Corner Profile Balconies with Water Drainage - Antique Grey*.	h 10 x a 55	5 pcs.	-	pc.
PRO21-2078AE/125	External Corner Profile for Balconies with Water Drainage - Ash Grey*.	h 12,5 x a 55	5 pcs.	-	pc.
PRO21-2079AE/125	External Corner Profile Balconies with Water Drainage - Antique Grey*.	h 12,5 x a 55	5 pcs.	-	pc.
PRO21-2078AI/125	Internal Corner Profile for Balconies with Water Drainage - Ash Grey*.	h 12,5 x a 55	5 pcs.	-	pc.
PRO21-2079AI/125	Internal Corner Profile Balconies with Water Drainage - Antique Grey*.	h 12,5 x a 55	5 pcs.	-	pc.
PRO21-2076G/125	Giunzione Balconi con Scarico Acqua - Grigio Cenere*	h 10/12,5 x a 55	5 pcs.	-	pc.
PRO21-2077G/125	Giunzione per Balconi con Scarico Acqua - Grigio Antico*	h 10/12,5 x a 55	5 pcs.	-	pc.

* New colors upon request. Minimum order 50 pieces

DESCRIPTION

External finishing corner profile is recommended for the protection and finishing of the external edges of terraces and balconies with water discharge (120 x 120 mm).

Junction for the horizontal profile (made of 2 elements). It is recommended for the protection and finishing of the external edges of terraces and balconies with drips.

MATERIAL

Made of Aluminum-Magnesium-Silicon alloy painted ash grey, antique gray, grey RAL 9007, brown RAL 8019, Rust, white RAL 9003.

USE

Used as protection and finishing of the external edges of terraces and balconies, thus protecting the edges of the flooring tiles.

COLOR ASH GREY	COLOR ANTIQUE GRAY	COLOR METAL GRAY RAL 9006*	COLOR WHITE STONE

The **Building** section contains a wide and complete range of insulation and drywall products, including items and accessories for the ETICS System such as fiber glass meshes, inspection doors for plasterboard, fixing systems, stone wool panels and USC Securock board.
