


DAKOTA[®]

equipment

products for construction yard.



Yard mesh

Scaffolding safety net	E_424
Yard mesh	E_425
Anti-dust mesh and Scaffolding mesh	E_426
Shading green/white/two-coloured mesh	E_427

Signposting

Warning tape and street cone	E_429
------------------------------	-------

Safety

Safety rod cover	E_429
Plastic basement for scaffolding base, Clamp cover	E_430
Safety helmet	E_431

Yard equipment

Eco Cube, Rubbish case, Bucket	E_431
Absorbent protective felt	E_433
Extendible film and Plastic Grout Trowel	E_434
Lifting Slings	E_437

Display

Self standing display	E_439
-----------------------	-------



**PRODUCTS FOR
CONSTRUCTION
YARD**



EQUIPMENT: PRODUCTS FOR CONSTRUCTION YARD

Section dedicated to **Construction Site and Individual Protection.**

It contains specific articles in the visibility, signage, protection and use of construction site areas and workers.

- **The range of Dakota construction site nets** is able to meet the main needs during the setting up of the construction site, clearly delimiting the restricted access areas and collecting the dust and debris.
- **Equipment section contains all the elements for delimiting spaces**, such as multicolor tapes, road cones and items for accident prevention, protective devices for workers and elements that increase the visibility of dangerous protrusions.

SCAFFOLDING SAFETY NET

Code	Product	M	Pkg.	Pallet	UM
RET05-301	Vertical fall protection net	10.8 x 2	21,6 m ²	-	m ²
RET05-302	Vertical fall protection net	16.2 x 2	32,4 m ²	-	m ²
RET05-300N	Tape for fall protection net	25 x 2,1 x 400 mm	200 pcs.	-	pc.



DESCRIPTION


Man fall safety net with vertical positioning, suitable as a fall protection barrier from scaffolding and roof edges.
Square mesh 100 x 100 mm, available in 230 g/m², in sizes 10.8 x 2 m and 16.2 x 2 m. Supplied individually folded and strapped.

MATERIAL

Net made of PP (Polypropylene)
Tape made of PS (Polyester)

USE

Mesh used as a fall protection barrier from scaffolding and roof edges.
The tapes are equipped with a self-locking buckle for fixing the net and are positioned every 0.8 m².



GREEN YARD MESH

Code	Product	m	Pkg.	Pallet	UM
RET04-120V	Green yard mesh	1,20 x 50	60 m ²	2.940 m ²	m ²
RET04-180V	Green yard mesh	1,80 x 50	90 m ²	3.780 m ²	m ²

DESCRIZIONE


Ovoid-knit extruded mesh, mono-oriented, available in green colour, with variable height from 1,20 to 1,80 m.
Available in 160 gr/m² weight; packed in cellophane rolls of 50 m.
Packed in cellophane.

MATERIAL

Made of PE (polyethylene), it is particularly resistant to mechanical stress, tear and ageing due to exposure to the atmospheric agents.

USE

Fencing of site areas, to indicate the presence of excavations and/or interruptions or to delimit areas dedicated to events.



YARD MESH

Code	Product	m	Pkg.	Pallet	UM
RET04-101RE	Orange yard mesh	1,00 x 50,00	50 m ²	2.450 m ²	m ²
RET04-121RE	Orange yard mesh	1,20 x 50,00	60 m ²	2.940 m ²	m ²
RET04-151RE	Orange yard mesh	1,50 x 50,00	75 m ²	3.150 m ²	m ²
RET04-181RE	Orange yard mesh	1,80 x 50,00	90 m ²	3.780 m ²	m ²
RET04-201RE	Orange yard mesh	2,00 x 50,00	100 m ²	4.200 m ²	m ²

DESCRIPTION


Ovoid-knit extruded mesh, mono-oriented, available in orange colour, with variable height from 1,00 to 1,80 m.
Available in 150 gr/m² weight; packed in cellophane rolls of 50 m.
Packed in cellophane.

MATERIAL

Made of PE (polyethylene), it is particularly resistant to mechanical stress, tear and ageing due to exposure to the atmospheric agents.

USE

Fencing of site areas, to indicate the presence of excavations and/or interruptions or to delimit areas dedicated to events.



YARD MESH PRO

Code	Product	m	Pkg.	Pallet	UM
RET04-101RP	Orange yard mesh PRO	1,00 x 50	50 m ²	2.450 m ²	m ²
RET04-121RP	Orange yard mesh PRO	1,20 x 50	60 m ²	2.940 m ²	m ²
RET04-151RP	Orange yard mesh PRO	1,50 x 50	75 m ²	3.150 m ²	m ²
RET04-181RP	Orange yard mesh PRO	1,80 x 50	90 m ²	3.780 m ²	m ²



MADE IN
ITALY

DESCRIPTION

Mono-oriented extruded ovoid mesh, orange in color with heights ranging from 1.00 to 1.80 m.
Available in 150 g/m² weight in rolls of 50 m.
Packaged in cellophane.

MATERIAL

Made of polyethylene, it is particularly resistant to mechanical stress, tearing and aging from exposure to the elements.

USE

Fencing of site areas, to indicate the presence of excavations and/or interruptions or to delimit areas dedicated to events.



CUSTOM LOGO
UPON REQUEST

ANTI-DUST MESH

Code	Product	m	Pkg.	Pallet	UM
RET05-191B	Anti-dust mesh	1,80 x 25	270 m ²	3.780 m ²	m ²
RET05-192B	Anti-dust mesh	1,80 x 15	270 m ²	3.780 m ²	m ²
RET05-193B	Anti-dust mesh	1,80 x 10	270 m ²	5.400 m ²	m ²

DESCRIPTION

Woven eyelet mesh (dustproof), available in white colour and different heights.

Packed in cellophane.

MATERIAL

Made of PE-HD (high-density polyethylene) with closed-structure mesh, it is particularly resistant to mechanical stress, tear and ageing due to exposure to the atmospheric agents.

USE

Used to shade scaffoldings, to protect properties and people from exposure to direct sunlight and to delimit private areas.



SCAFFOLDING GREEN MESH

Code	Product	m	Pkg.	Pallet	UM
RET05-181V	Scaffolding green mesh	1,80 x 25	540 m ²	4.320 m ²	m ²
RET05-182V	Scaffolding green mesh	1,80 x 15	540 m ²	4.320 m ²	m ²
RET05-181V/A	Green Scaffolding Net with Buttonhole	1,80 x 15	540 m ²	4.320 m ²	m ²

DESCRIPTION

Woven eyelet mesh suitable for scaffolding, available in green colour and different heights.

Packed in cellophane.

MATERIAL

Made of PE-HD (high-density polyethylene) with open-structure mesh, it is particularly resistant to mechanical stress, wear and tear caused by time.

USE

Used to shade scaffoldings, to protect properties and people from exposure to direct sunlight and to delimit private areas.



SCAFFOLDING WHITE MESH

Code	Product	m	Pkg.	Pallet	UM
RET05-181BI	Scaffolding white mesh	1,80 x 25	270 m ²	3.240 m ²	m ²
RET05-182BI	Scaffolding white mesh	1,80 x 15	270 m ²	3.240 m ²	m ²

DESCRIPTION

Woven mesh with eyebrow edge with white reinforced edges with a holes (scaffold type) at different heights.

Packed in cellophane.

MATERIAL

Made of PE-HD (high-density polyethylene), open mesh, it is particularly resistant to mechanical stress, wear and tear caused by weather.

USE

Used for shading the scaffolding, protect property and people from exposure to direct sunlight and to delimit private areas.



SHADING GREEN MESH

Code	Product	m	Pkg.	Pallet	UM
RET05-195	Shading green mesh	1,50 x 100	150 m ²	2.400 m ²	m ²
RET05-196	Shading green mesh	2,00 x 100	200 m ²	2.400 m ²	m ²
RET05-197	Shading green mesh	3,00 x 100	300 m ²	3.600 m ²	m ²
RET05-198	Shading green mesh	4,00 x 100	400 m ²	6.400 m ²	m ²

DESCRIPTION

Woven darkening green mesh (shading type), available in different heights. Packed in cellophane rolls.

MATERIAL

Made of PE-HD (high-density polyethylene) with open-structure mesh, it is particularly resistant to mechanical stress, wear and tear caused by time.

USE

Used to protect property and people from exposure to direct sunlight and to delimit private areas.



SHADING WHITE MESH

Code	Product	m	Pkg.	Pallet	UM
RET05-194	Shading white mesh	1,80 x 100	180 m ²	2.160 m ²	m ²

DESCRIPTION

Woven darkening white mesh (shading type), available in different heights. Packed in cellophane rolls.

MATERIAL

Made of PE-HD (high-density polyethylene), flat knitted-fabric, it is particularly resistant to mechanical stress, tear and ageing due to exposure to the atmospheric agents.

USE

Used to protect property and people from exposure to direct sunlight and to delimit private areas.



TWO-COLOURED SHADING MESH

Code	Product	m	Pkg.	Pallet	UM
RET05-199	Two-coloured shading mesh	2,00 x 100	200 m ²	2.400 m ²	m ²

DESCRIPTION


Woven slotted mesh (shading type), available in white/orange colour - one-size. Packed in cellophane rolls.

MATERIAL

Made of PE-HD (high-density polyethylene), flat knitted-fabric, it is particularly resistant to mechanical stress, tear and ageing due to exposure to the atmospheric agents.

USE

Used to protect property and people from exposure to direct sunlight and to delimit private areas.



SHADING MESH CLIP

Code	Product	mm	Pkg.	Pallet	UM
RET05-200T	Shading mesh clip	-	100 pcs.	200 boxes	box

DESCRIPTION


Specific clip designed to facilitate the mesh fastening.
Packed in bags/boxes.

MATERIAL

Made of PP (polypropylene).

USE

Make mesh fastening easier.



STREET CONE

Code	Product	mm	Pkg.	Pallet	UM
TER08-1404	Street cone	h. 330	10 pcs.	280 pcs.	pc.
TER08-1405	Street cone	h. 500	10 pcs.	120 pcs.	pc.

DESCRIPTION

Street cone for signposting.

MATERIAL

Made of PP (polypropylene).

USE

To indicate the presence of construction sites, excavations and/ or interruptions, dangers or to demarcate private areas.



WARNING TAPE

Code	Product	m	Pkg.	Pallet	UM
SEG01-1402	Warning tape - Two coloured	200	30 pcs.	1.080 pcs.	pc.
SEG01-1403A	Warning tape tubes - Water	200	16 pcs.	576 pcs.	pc.
SEG01-1403E	Warning tape tubes - Electricity	200	16 pcs.	576 pcs.	pc.
SEG01-1403F	Warning tape tubes - Sewerage System	200	16 pcs.	576 pcs.	pc.
SEG01-1403G	Warning tape tubes - Gas	200	16 pcs.	576 pcs.	pc.
SEG01-1403T	Warning tape tubes - Phone	200	16 pcs.	576 pcs.	pc.

DESCRIPTION

Tape in various colours used to delimit work areas.
Available in either generic (white/red) or with specific text.

MATERIAL

Made of coloured film.

USE

Mark work areas on construction sites.



SAFETY ROD COVER

Code	Product	mm	Pkg.	Pallet	UM
TER26-6299S	Safety rod cover	from ø 8 to 28	100 pcs.	42 boxes	box
TER26-6299CL	Clip	rod from ø 8 to 28	100 pcs.	-	box

DESCRIPTION

Warning and protective device of areas and/or elements on the construction site.
Packed in carton box.

MATERIAL

Made of PP (polypropylene), orange colour, it is particularly resistant to ageing due to exposure to the atmospheric agents.

USE

Recommended to advise the presence of iron tubes, for reducing hazards and accidents arising from failure or lack of identification or non-use of PPE.



SAFETY ROD COVER EASY

Code	Product	mm	Pkg.	Pallet	UM
TER26-6300/150	Safety rod cover easy	from ø 6 to 18	150 pcs.	42 boxes	box

DESCRIPTION

Warning and protective device of areas and/or elements on the construction site.
Packed in carton box.

MATERIAL

Made of PP (polypropylene), orange colour, it is particularly resistant to ageing due to exposure to the atmospheric agents.

USE

Recommended to advise the presence of iron tubes, for reducing hazards and accidents arising from failure or lack of identification or non-use of PPE.



SAFETY ROD COVER

Code	Product	mm	Pkg.	Pallet	UM
TER26-6301	Safety rod cover	from ø 18 to 35	100 pcs.	42 boxes	box

DESCRIPTION

Warning and protective device of areas and/or elements on the construction site.
Packed in carton box.

MATERIAL

Made of PP (polypropylene), orange colour, it is particularly resistant to ageing due to exposure to the atmospheric agents.

USE

Recommended to advise the presence of iron tubes, for reducing hazards and accidents arising from failure or lack of identification or non-use of PPE.



PLASTIC BASEMENT FOR SCAFFOLDING BASE

Code	Product	mm	Pkg.	Pallet	UM
TER26-6302	Plastic basement for scaffolding base	-	50 pcs.	2.000 pcs.	pc.

DESCRIPTION

Warning and protective device of areas and/or elements on the construction site.
Packed in carton box.

MATERIAL

Made of PP (polypropylene), yellow colour.
Resistant to ageing due to exposure to the atmospheric agents.
Equipped with red reflectors, to enable visibility in the dark.

USE

To indicate the presence of scaffolding supporting bases and prevent dangers.



CLAMP COVER

Code	Product	mm	Pkg.	Pallet	UM
TER26-6303	Clamp cover	-	100 pcs.	2.000 pcs.	pc.

DESCRIPTION

Warning and protective device of areas and/or elements on the construction site.
Packed in carton box.

MATERIAL

Made of PP (polypropylene), yellow colour.
Resistant to ageing due to exposure to the atmospheric agents.
Equipped with red reflectors, to enable visibility in the dark.

USE

Recommended to advise the presence of iron tubes for reducing hazards and accidents arising from failure or lack of identification or non-use of PPE.



PIPE COVER

Code	Product	mm	Pkg.	Pallet	UM
TER26-6305	Pipe cover	-	100 pcs.	5.000 pcs.	pc.

DESCRIPTION

Warning and protective device of areas and/or elements on the construction site.
Packed in carton box.

MATERIAL

Made of PP (polypropylene), yellow colour.
Resistant to ageing due to exposure to the atmospheric agents.
Equipped with red reflectors, to enable visibility in the dark.

USE

To indicate the presence of iron pipes, reducing hazards and accidents arising from failure or lack of identification or non-use of PPE.



SAFETY HELMET

Code	Product	mm	Pkg.	Pallet	UM
MUR03-5615	Yellow safety helmet	-	60 pcs.	300 pcs.	pc.
MUR03-5616	Red safety helmet	-	60 pcs.	300 pcs.	pc.
MUR03-5617	White safety helmet	-	60 pcs.	300 pcs.	pc.

DESCRIPTION

Personal protective equipment.
Packed in carton box.

MATERIAL

Made of plastic, available in red, yellow and white, it is particularly resistant to ageing due to exposure to the atmospheric agents.

USE

To reduce hazards and accidents resulting from construction activities and use of materials and/or harmful products.



ECO CUBE FOR CONCRETE TESTING

Code	Product	mm	Pkg.	Pallet	UM
TER26-6310	Eco Cube for Concrete Testing	172 x 172 x 165	18 pcs.	144 pcs.	pc.

DESCRIPTION

Manufactured in accordance with UNI EN 12390-1:2002, it allows to test concrete.
Suitable for load test at simple compression.
It can be re-used several times.

MATERIAL

Made in PP (polypropylene).

USE

Fill the cube of concrete.
Wait until it becomes solid (28 days).
Extract the sample with a jet of compressed air or, if necessary, break the cube along pre-cut hole.
It doesn't need any cover.



RUBBISH CASE

Code	Product	l	Pkg.	Pallet	UM
MUR02-5620	Rubbish case	50 l	10 pcs.	120 pcs.	pc.

DESCRIPTION

Rubbish case for demolition waste.

MATERIAL

Made in plastic material, with handles.

USE

Appropriate to the product.



BUCKET

Code	Product	mm	Pkg.	Pallet	UM
MUR01-5600	Black bucket	ø 340 - 9 l	10 pcs.	900 pcs.	pc.
MUR01-5606	Yellow heavy bucket with handle	ø 360 - 10 l	10 pcs.	360 pcs.	pc.
MUR01-5607	Red heavy bucket with handle	ø 360 - 10 l	10 pcs.	360 pcs.	pc.
MUR01-5608	Green heavy bucket with handle	ø 360 - 10 l	10 pcs.	360 pcs.	pc.
MUR01-5609	Blue Professional bucket (safety)	ø 360 - 10 l	10 pcs.	360 pcs.	pc.

DESCRIPTION

Multi-coloured bucket for construction site.

MATERIAL

Made of plastic material, with steel handle.

USE

Appropriate to the product.



27 LITERS BUCKET WITH COVER AND HANDLES

Code	Product	mm	Pkg.	Pallet	UM
TER04-4180	Kit of 1 bucket + 1 lid	398 x 395 x 219	150 pcs.	150 pcs.	pcs.

DESCRIPTION

01. Set of 10 plastic buckets, 10 covers and 20 blue handles.

02. Kit of 1 bucket and 1 cover (sold separately) on a 80 x 120 mm pallet. No handles included.

MATERIAL

Made of PP (polypropylene).

USE

Used to collect small products.



ABSORBENT PROTECTIVE FELT

Code	Product	gr/m ²	m	Pkg.	Pallet	UM
MUR07-8012	Absorbent protective felt	200	1,0 x 10 m	10 m ²	96 pcs.	pc.
MUR07-8010	Absorbent protective felt	200	1,0 x 25 m	25 m ²	35 pcs.	pc.
MUR07-8010DK	Absorbent protective felt with Dakota logo	200	1,0 x 25 m	25 m ²	35 pcs.	pc.
MUR07-8011	Absorbent protective felt	260	1,0 x 25 m	25 m ²	24 pcs.	pc.
MUR07-8013	Absorbent protective felt	200	1,0 x 50 m	50 m ²	30 pcs.	pc.

MADE IN ITALY

DESCRIPTION

Absorbent protective felt, hot coupled to a anti-slip waterproof membrane. The felt is made of regenerated cotton fibres with high absorbency. It is a perfect solution in case of accidental spills of liquids (paints, solvents, oils, etc.).

The reinforcing treatment guarantees a high durability and resistance with no deterioration of the material.

The polyethylene membrane, which is in contact with the floor, constitutes a impermeable barrier to the passage of liquids; moreover, the particular mixture that composes the membrane guarantee a perfect adherence to the surface, preventing any subsequent movements.

Available in 2 different weights of 200 gr/m² and 260 gr/m².

MATERIAL

Made of felt (upper side) and PP - polypropilene (bottom side).

USE

Used to protect the floor from accidental spills of liquids and possible damage caused by falling of work tools or frequent passages.

CUSTOMIZED

The felt can be customized according to the following specifications:

- monochrome print (red only);
- maximum size of the logo h. 10 x l. 20 cm;
- logo position every 47 cm.
- minimum order 6 pallet/code for full customization (custom label and logo printed on the product).
- minimum order 3 pallet/code for custom label only.



DAKSTOP PROTECTIVE FELT

Code	Product	gr/m ²	m	Pkg.	Pallet	UM
MUR07-8010/25	Dakstop - protective felt	200 gr	1,0 x 25 m	1 pc.	35 pcs.	pc.
MUR07-8010/50	Dakstop - protective felt	200 gr	1,0 x 25 m	1 pc.	30 pcs.	pc.
MUR07-8011/25	Dakstop - protective felt	260 gr	1,0 x 25 m	1 pc.	24 pcs.	pc.
MUR07-8011/50	Dakstop - protective felt	260 gr	1,0 x 25 m	1 pc.	20 pcs.	pc.

DESCRIPTION

The protective felt acts as a waterproof barrier against liquids.

Available in two different weights: 200 g/m² and 260 g/m².

MATERIAL

Made of: felt.

USE

Used to protect the floor from accidental spills and damage caused by falling tools or blunt objects and frequent foot traffic.



EXTENDIBLE FILM

Code	Product	mm	Pkg.	Pallet	UM
FIL01-3003	Extendible film	500 - 2,6 kg	6 pcs.	270 pcs.	pc.

DESCRIPTION

Cover film.
Packed in carton box.

MATERIAL

Made of polymer film.

USE

To cover and to compact packaging.



PLASTIC GROUT TROWEL

Code	Ref.	Product	mm	Pkg.	Pallet	UM
MUR06-7052	01	Plastic Grout trowel with blue sponge	70 x 380	24 pcs.	600 pcs.	pc.
MUR06-7050	01	Plastic Grout trowel with blue sponge	100 x 240	24 pcs.	720 pcs.	pc.
MUR06-7051	01	Plastic Grout trowel with blue sponge	140 x 220	24 pcs.	720 pcs.	pc.
MUR06-7060	02	Plastic Grout trowel with orange sponge	100 x 240	24 pcs.	720 pcs.	pc.
MUR06-7061	02	Plastic Grout trowel with orange sponge	140 x 220	24 pcs.	720 pcs.	pc.
MUR06-7062	02	Plastic Grout trowel with orange sponge	140 x 280	15 pcs.	480 pcs.	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Body made of plastic material.

USE

To facilitate the construction activities, the implementation and/ or use of the materials.



PLASTIC GROUT TROWEL FOR CONCRETE SPREAD

Code	Product	mm	Pkg.	Pallet	UM
MUR06-7055	Cement sprange Grout trowel	115 x 250	16 pcs.	1.120 pcs.	pc.
MUR06-7056	Spare rubber part	115 x 250	24 pcs.	-	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Body made of plastic material.

USE

To facilitate the construction activities, the implementation and/ or use of the materials.



REPLACEMENT ELEMENTS FOR GROUT TROWEL

Code	Product	mm	Pkg.	Pallet	UM
MUR06-7065BI	Grout trowel plastic body	140 x 280	30 pcs.	600 pcs.	pc.
MUR06-7065RI	Sponge for grout trowel	140 x 280	30 pcs.	240 pcs.	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Body made of plastic material.

USE

To facilitate the construction activities, the implementation and/ or use of the materials.



CLEANING GROUT TROWEL

Code	Product	mm	Pkg.	Pallet	UM
MUR06-7066	Cleaning Grout trowel with Velcro	120 x 250	30 pcs.	900 pcs.	pc.
MUR06-7067	White felt for Grout trowel	120 x 250	24 pcs.	-	pc.
MUR06-7068	Black felt for Grout trowel	120 x 250	24 pcs.	-	pc.
MUR06-7065	Brown felt for Grout trowel	150 x 290	30 pcs.	600 pcs.	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Body made of plastic material.

USE

To facilitate the construction activities, the implementation and/ or use of the materials.



PLASTIC GROUT TROWEL

Code	Product	mm	Pkg.	Pallet	UM
MUR06-7030	Black plastic grout trowel	140 x 440	50 pcs.	1.000 pcs.	pc.
MUR06-7031	Red plastic grout trowel	140 x 440	50 pcs.	1.000 pcs.	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Body made of plastic material.

USE

To facilitate the construction activities, the implementation and/ or use of the materials.



TRIANGULAR SAW TOOTH SCRAPER

Code	Product	mm	Pkg.	Pallet	UM
MUR06-7027	Scraper	155 x 250	30 pcs.	300 pcs.	pc.
MUR06-7028	Spare scraper part	155 x 250	30 pcs.	900 pcs.	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Body made of plastic material.

USE

To facilitate the construction activities, the surface cleaning/painting removals.



TRAPEZOIDAL SAW TOOTH SCRAPER

Code	Product	mm	Pkg.	Pallet	UM
MUR06-7025	Scraper	155 x 250	30 pcs.	-	pc.
MUR06-7026	Spare scraper part	155 x 250	30 pcs.	-	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Body made of plastic material.

USE

To facilitate the construction activities, the surface cleaning/painting removals.



PURPLE LIFTING SLINGS Lenght: 50 mm

Code	Product	mm	Pkg.	Pallet	UM
BRA01-1500/3	Purple lifting slings	50 x 3.000	1 pc.	-	pc.
BRA01-1500/4	Purple lifting slings	50 x 4.000	1 pc.	-	pc.
BRA01-1500/5	Purple lifting slings	50 x 5.000	1 pc.	-	pc.
BRA01-1500/6	Purple lifting slings	50 x 6.000	1 pc.	-	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Made of fabric.

USE

To facilitate lifting, positioning and handling.
The maximum loading capacity is written on the product.



GREEN LIFTING SLINGS Lenght: 60 mm

Code	Product	mm	Pkg.	Pallet	UM
BRA01-1501/3	Green lifting slings	60 x 3.000	1 pc.	-	pc.
BRA01-1501/4	Green lifting slings	60 x 4.000	1 pc.	-	pc.
BRA01-1501/5	Green lifting slings	60 x 5.000	1 pc.	-	pc.
BRA01-1501/6	Green lifting slings	60 x 6.000	1 pc.	-	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Made of fabric.

USE

To facilitate lifting, positioning and handling.
The maximum loading capacity is written on the product.



YELLOW LIFTING SLINGS Lenght: 90 mm

Code	Product	mm	Pkg.	Pallet	UM
BRA01-1502/3	Yellow lifting slings	90 x 3.000	1 pc.	-	pc.
BRA01-1502/4	Yellow lifting slings	90 x 4.000	1 pc.	-	pc.
BRA01-1502/5	Yellow lifting slings	90 x 5.000	1 pc.	-	pc.
BRA01-1502/6	Yellow lifting slings	90 x 6.000	1 pc.	-	pc.

DESCRIPTION

Construction tool.
Packed in carton box.

MATERIAL

Made of fabric.

USE

To facilitate lifting, positioning and handling.
The maximum loading capacity is written on the product.



DAKOTA[®]

display



DISPLAY FOR CHANNELS

Code	Product	mm
TER09-2155EXBA	Display For Channels	-

MATERIAL
Made of metal.
The self-standing displays are sold without the articles that have to be ordered separately.



COURTER DISPLAY FOR SUPPORTS

Code	Product	mm
TER09-2155EXBA	Courter Display for Supports	

MATERIAL

Made of cardboard.

The self-standing displays are sold without the articles that have to be ordered separately.



COURTER DISPLAY FOR LEVELERS

Code	Product	mm
TER04-4200EXBA/3	Courter Display for Levelers	380 x 350 x h. 350

MATERIAL

Made of wood and cardboard.

The self-standing displays are sold without the articles that have to be ordered separately.



SELF-STANDING DISPLAY FOR TWO LEVEL

Code	Product	mm
TER04-4494	Self-standing display for TWO Level	600 x 400 x 1.100

MATERIAL

Made of a 3 mm microtriple structure.

The self-standing displays are sold without the articles that have to be ordered separately.



SELF-STANDING DISPLAY FOR INSPECTION DOOR

Code	Product	mm
GAN01-6296	Self-standing display for inspection door	800 x 800

MATERIAL

Made of wood



1. GENERAL

These Terms and Conditions shall apply to all business operations of the company DAKOTA GROUP SAS, hereinafter referred to as 'DAKOTA GROUP'.

These Conditions are brought to the knowledge of the client in any transaction and prevail over all other conditions contained in any other document from the customer (standard or special purchase or purchasing order conditions). According to current regulations, these Conditions are systematically communicated to any customer who requests them, to ensure the forwarding of an order to DAKOTA GROUP.

In any event, all orders necessarily imply the full acceptance by the customer of these Conditions (as an essential and determining condition).

DAKOTA GROUP reserves the right to modify these Conditions at any time.

The applicable conditions are those in force on the date of the order by the customer.

They are regulated by special conditions agreed between the buyer and DAKOTA GROUP, signed by the latter, and will prevail over these terms in case of conflict between the parties.

2. ORDERS

Quotations and price offers are not binding DAKOTA GROUP until they have been confirmed in writing.

An order is deemed accepted by DAKOTA GROUP when it acknowledged receipt and only after buyer's solvency conditions have been acquired.

No cancellations or order changes are allowed after acceptance of the order by DAKOTA GROUP.

3. INVOICING, PRICE AND PAYMENT

3.1 - Invoices are issued to the date of shipment of goods at the price conditions prevailing on that date. In absence of special conditions expressly accepted by DAKOTA GROUP, prices are those listed on the table rate and they can be adjusted with a notice of one month by DAKOTA GROUP.

3.2 - Prices are expressed in Euro currency, excluding VAT and are intended Ex-works warehouse DAKOTA GROUP in Brentino Belluno (VR), unless special conditions, specific commercial agreements or agreements on some particular types of products have been concluded between the parties.

3.3 - Unless otherwise agreed, invoices are payable in cash, on or before the delivery date, without discount for advanced payment.

The invoice amount is due at DAKOTA GROUP headquarters. In case of insolvency or damage to the buyer credit, DAKOTA GROUP reserves to require some guarantees, the payment of a deposit or the full payment of the invoice for the acceptance of the order. DAKOTA GROUP furthermore reserves the right to cancel the order, even accepted.

Any amount, including the deposit, not paid by its due date, regardless of the payment method, entail the application of an interest of 8 points calculated daily (ECB rate), in addition to the settlement of a lump sum compensation for recovery costs in the amount of € 40, without prejudice to the right of DAKOTA GROUP to further compensation if his injury is higher.

DAKOTA GROUP reserves the right to cancel all or part of the current order, if the buyer does not pay him the price according to terms explicitly contained in these General Sales Conditions or special conditions agreed, without prejudice to any other action.

In the rare event that payment in instalments is agreed, the non-fulfilment of a single instalment will result in the immediate repayment of the entire debt, without prior notice.

In any case the buyer can not make compensation for all or part of the debts it could have on DAKOTA GROUP, whatever the object with the price of goods supplied or made available.

4. TRANSPORT AND DELIVERY

4.1 - Unless otherwise stated, any sale is deemed concluded "ex our warehouses" with charge and transfer of risk to the buyer as soon as left DAKOTA GROUP's factory.

Even if the price is established "ex-works", products are shipped at the risk of the purchaser. In case of damage during transport, the complaint must be sent by the buyer to the carrier within three days of delivery, with a copy by registered letter with acknowledgment of receipt, at DAKOTA GROUP, within the same period.

DAKOTA GROUP reserves the right to make partial product deliveries and issuing their corresponding partial invoices.

4.2 - Delivery times are communicated to the buyer as indicative. Any delay in delivery or complaint can not give rise to damages, nor justify any withholding or cancellation of the order by the buyer.

If the buyer fails to take delivery of the products to the place and date agreed, the products will be stored by DAKOTA GROUP in a place of his choice, at the expense and risk of the purchaser, without prejudice to the obligation for the buyer to meet its payment obligations as if the goods had actually been removed or received.

5. RETURN OF GOODS

The possible return of goods by the purchaser will be at his expense and only after express agreement with DAKOTA GROUP. It only may concern products in perfect condition for resale and in their original packaging and condition.

If these conditions are met, the returned products will be reimbursed to a maximum of 70% of net sales price excluding VAT.

6. PROPERTY RIGHTS

The products are sold with a subordinating clause that expressly transfers their ownership to full payment of the price in principal and accessories, without possibility for the buyer to make divisions, including the pretext of fractional regulations.

The mere delivery of an obligation to pay does not constitute payment for the purposes of this clause, the claim originally from DAKOTA GROUP remaining on the buyer with all the guarantees attaching thereto, including the reservation of title until the payment is effective.

The above provisions shall not preclude the provision from product transfer to the buyer, the risk of loss or deterioration of products subject to retention of title, as well as possible damage it may occur.

The buyer must take out insurance guaranteeing the risks arising from the provision of products.

If the buyer is subject to insolvency or unpaid instalments in whole or in part, it is strictly prohibited to continue to use, sell or process the goods whose ownership is reserved to DAKOTA GROUP.

The buyer agrees not to pledge or assign as collateral the property of the products.

The purchaser is entitled under the operation of its business to resell the products. However, it is obliged, in case of resale, to immediately pay the balance of remaining price due to DAKOTA GROUP or inform on sub-purchaser (s) that the products are subject to a retention of title clause and warn DAKOTA GROUP of this sale, so that it can preserve its rights and if necessary, perform a claim the resale prices in respect of the sub-purchaser.

7. WARRANTY AND LIABILITY

7.1 - Upon receipt of the products, the buyer is obliged to proceed to their check and all claims of any nature whatsoever are allowed only if made within 7 days of the delivery date.

All products sold by DAKOTA GROUP benefit from the legal guarantee. To make his rights prevail, the purchaser must, on pain of forfeiture of any action relating thereto, inform DAKOTA GROUP by registered letter with acknowledgment of receipt of the existence of defects within 10 days of their discovery.

This warranty is excluded in case of outdoor storage or extended, or if the defect is due to wear, shock, an assembly mistake, a lack of maintenance, of improper use or yet modifications of the product not specified by DAKOTA GROUP. Any repair by the purchaser or a third party without prior authorization from DAKOTA GROUP leads to lose the benefit guarantees.

This warranty is strictly limited to replacement of defective product recognized by DAKOTA GROUP and covers only the exchange of goods, excluding shipping costs to and from, and the labour costs for assembly and disassembly addition, all costs included for damage to property other than the delivered products, which remain to the responsibility of the buyer.

7.2 - No technical support is provided by DAKOTA GROUP. Only technical advice, which are only intended to inform the buyer about the technical use of the products and not to contribute to their implementation (with a subsequent responsibility of DAKOTA GROUP). In particular, the choice of material and its utilization are to the responsibility of the buyer.

DAKOTA GROUP cannot be held to any compensation to the buyer under immaterial or consequential damages, which will ensure DAKOTA GROUP, if any, of all sentences resulting from an action by a third party directly for it, and inherent prejudices.

8. INTELLECTUAL PROPERTY

The buyer shall not, without the prior authorization of DAKOTA GROUP, alter in any way the marking on the products delivered, resell those products under a different name or use any DAKOTA GROUP brands.

9. SETTLEMENT OF DISPUTES

These General Sales Conditions are governed by Italian law. In case of any disputes, the contract language is Italian. Any dispute will be the exclusive jurisdiction of the Court of Verona.

PERSONAL DATA PROCESSING

DAKOTA GROUP SAS as Data Controller of your personal data, pursuant to and for the purposes of EU Reg. 2016/679 hereinafter 'GDPR', hereby informs you that the aforementioned legislation provides for the protection of data subjects with respect to the processing of personal data and that this treatment will be based on principles of correctness, lawfulness, transparency and protection of your privacy and your rights. Your personal data will be processed in accordance with the legislative provisions of the aforementioned law and the confidentiality obligations provided for therein.

Processing methods. Your personal data may be processed in the following ways:

creating profiles related to customers, suppliers or consumers;

processing by electronic calculators;

Each treatment is carried out in compliance with the procedures set out in articles 6, 32 of the GDPR and through the adoption of the appropriate security measures provided.

Your data will only be processed by personnel expressly authorized by the Owner and, in particular, by the following categories of employees:

Marketing office

Dissemination: Your personal data will not be disclosed in any way.

Conservation Period. We inform you that, in compliance with the principles of lawfulness, limitation of purposes and minimization of data, pursuant to art. 5 of the GDPR, the retention period of your personal data is:

Established for a period of time not exceeding the performance of the services provided;

Owner: the Data Controller, pursuant to the Law, is DAKOTA GROUP SAS (Via Pitagora, 3, 37010 Affi (VR); P.Iva: 07971400960) in the person of its legal representative pro tempore.

You have the right to obtain from the holder the cancellation (right to be forgotten), the limitation, updating, rectification, portability, opposition to the processing of personal data concerning you, and in general can exercise all the rights provided by the articles 15, 16, 17, 18, 19, 20, 21, 22 of the GDPR.

Grid of dots for notes.

Grid of dots for notes.

Grid of dots for notes.

Grid of dots for notes.

