

CAST IRON GRATING 130



INDEX

1. Code registry
2. Description
3. Use
4. Technical specification


1. CODE REGISTRY

Code	Description	Measures (mm)	Weight	Color	Pkg. / Pallet
POZ90-1351GBN	Cast Iron Grating B125 130	130 x 500	3,40 kg/pc.	Black	1 pc / 280 pcs.
POZ90-1351GCN	Cast Iron Grating C250 130	130 x 500	3,70 kg/pc.	Black	1 pc / 280 pcs.
POZ90-1351GDN	Cast Iron Grating D400 130	130 x 500	3,90 kg/pc.	Black	1 pc / 280 pcs.

MATERIAL Made of spheroidal cast iron

CERTIFICATION  Marked according UNI EN1433.


POZ90-1351GBN



	material	weight	water passage
1351GBN	spheroidal cast iron	3,40 kg	222,07 cm ²


CAST IRON GRATING 130

POZ90-1351GCN



	material	weight	water passage
1351GCN	spheroidal cast iron	3,70 kg	222,07 cm ²

POZ90-1351GDN



	material	weight	water passage
1351GDN	spheroidal cast iron	3,90 kg	222,07 cm ²

CAST IRON GRATING 130

2. DESCRIPTION

Made with a slotted, anti-heel and squared mesh design. Available load classic B125 - C250 - D400

3. USE

It can be used in areas that need high load capacity (heavy traffic and/or heavy vehicles passage, respecting the corresponding load class).

4. TECHNICAL SPECIFICATION

Item	Description	Unit	Prize
Dak.D.POZ90.135IGxN	Supply and installation of stormwater drainage grating. Made with square mesh. Available in class B125 - C250 - D400. Made of spheroidal cast iron. Used where major load passages are needed or wherever its use is deemed valid.		
Dak.D.POZ90.135IGBN	Grid in B125 class.....	pc.	-
Dak.D.POZ90.135IGCN	Grid in C250 class	pc.	-
Dak.D.POZ90.135IGDN	Grid in D400 class.....	pc.	-