

# CAST IRON GRATING 200



## INDICE


1. Code registry
2. Description
3. Use
4. Technical specification

## 1. CODE REGISTRY

Code	Description	Measures (mm)	Weight (kg/pc.)	Color	Pkg. / Pallet
POZ90-1361GBN	Cast Iron Grating B125 200	200 x 500	5,60	Black	1 pc / 150 pcs.
POZ90-1361GCN	Cast Iron Grating C250 200	200 x 500	5,80	Black	1 pc / 150 pcs.
POZ90-1361GDN	Cast Iron Grating D400 200	200 x 500	6,30	Black	1 pc / 150 pcs.

**MATERIAL** Made of spheroidal cast iron


### POZ90-1361GBN



	materiale	peso	passaggio acqua
1361GBN	Ghisa Sferoidale	5,60 kg	381,7 cm <sup>2</sup>


# CAST IRON GRATING 200

POZ90-1361GCN



	materiale	peso	passaggio acqua
1361GCN	Ghisa Sferoidale	5,80 kg	381,7 cm <sup>2</sup>

POZ90-1361GDN



	materiale	peso	passaggio acqua
1361GDN	Ghisa Sferoidale	6,30 kg	381,7 cm <sup>2</sup>

# CAST IRON GRATING 200

## 2. DESCRIPTION

Made with a slotted, squared mesh design. Available load class B125 - C250 - D400

## 3. USE

It can be used in areas that need high load capacity (heavy traffic and/or heavy vehicles passage, respecting the corresponding load class)

## 4. TECHNICAL SPECIFICATION

Item	Description	Unit	Price
<b>Dak.D.POZ90.1361GxN</b>	Supply and installation to grating made with squared mesh design. Made with square mesh. Available load class B125 - C250 - D400 Made of spheroidal cast iron Used in areas that need high load capacity (heavy traffic and/or heavy vehicles passage, respecting the corresponding load class)		
<b>Dak.D.POZ90.1361GBN</b>	B1215 class grating .....	pcs.	-
<b>Dak.D.POZ90.1361GCN</b>	C250 class grating .....	pcs.	-
<b>Dak.D.POZ90.1361GDN</b>	D400 class grating .....	pcs.	-