

## n: LUC70-9052 DIFU STOP 140



1. Unique identification code of the product-type:

#### LUC70-9052

DIFU Stop 140

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

# AS ATTESTED BY THE PRODUCTION BATCH STATED BY THE LABEL ATTACHED ON THE PACKAGING OF THE PALLET

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

## VAPOUR CONTROL LAYER FOR CONSTRUCTION UNDER THE INSULATION.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer:

### DAKOTA GROUP S.a.S. di Zeno Cipriani Via Pitagora, 3 - 37010 Affi (VR)

In the production factory:

#### n. 385

5. System or systems of assessment and verification of constancy of performance of the construction product:

### SYSTEM 3

6.In case of declaration of performance concerning a construction product covered by a harmonized standard:

0761-CPD: MPA BS 5007/688/11 MPF: 4529: EN 13984 Paragraph 6 7. Declared performance:

Essential characteristics in accordance with EN 13984-2013, Table ZA 1

Essential characteristics*	Performance	Harmonised technical specification
Reaction to fire	Class E	EN 13501-1
Watertightness	Passed	EN 1928/ A
Water vapor permeability	Ca. 5 m	EN 1931
After ageing	Passed	EN 1296/ EN 1931
Tear resistance	130 / 150 N ±20%	EN 12310-1
Elongation at break	40 / 45% ±20%	EN 12311-2
Dangerous substances	not relevant	
Other, detailed performances also in accordance with EN 13984 specify in the current technical data sheet.		EN 13984

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Zeno Cipriani - Legal Representative Dakota Group S.a.S.

Brentino Belluno - 03-02-2018

(Place and date of issue)