DAKロTA TECHNICAL DATA SHEET 10 July, 2019 - rev.1



CORNER BEADS WITH MESH - REINFORCED EDGE



INDEX

- 1. Code Registry
- 2. Use
- 3. Technical specification

1. CODE REGISTRY

Code	Description	Dimensions (mm)	Weight	Colour	Pkg. / Pallet
ZIN33-1635N	Corner bead with mesh - Reinforced edge	100 x 100 x 2.500	5,00 kg/box.	White	62,5 m / 39 box.

MATERIAL

Made of PVC and glass fiber mesh.

2. USE

It is commonly used for reinforcing 90-degree angles in the building structure. Corner beading is crucial in the ETICS systems to guarantees strength and clean lines around windows, corners and door frames. The tip of the PVC profile remains visible after the finishing

3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.B.ZIN33.1635N	Supply and installation of Corner bead arrow-shaped with heat-sealed fiber glass mesh. The mesh weight is the same used for the insulation system. Made of PVC and fiber glass mesh. It is commonly used for reinforcing 90-degree angles in the building structure. Corner beading is crucial in the ETICS systems to guarantees strength and clean lines around windows, corners and door frames. The tip of the PVC profile remains visible after the finishing.	box.	-